

Datasheet for ABIN3074008

TBC1D3H Protein (AA 1-549) (Strep Tag)



Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | TBC1D3H |
| Protein Characteristics: | AA 1-549 |
| Origin: | Human |
| Source: | Tobacco (Nicotiana tabacum) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This TBC1D3H protein is labelled with Strep Tag. |
| Application: | ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

Sequence:

MDVVEVAGSW WAQEREDIIM KYEKGHRAGL PEDKGPKPFR SYNNNVDHLG IVHETELPPL
TAREAKQIRR EISRKSKWVD MLGDWEKYKS SRKLIDRAYK GMPMNIRGPM WSVLLNTEEM
KLKNPGRYQI MKEKGKRSSE HIQRIDRDIS GTLRKHMFFR DRYGTKQREL LHILLAYEEY
NPEVGYCRDL SHIAALFLLY LPEEDAFWAL VQLLASERHS LQGFHSPNGG TVQGLQDQQE
HVVATSQPKT MGHQDKKDLC GQCSPLGCLI RILIDGISLG LTLRLWDVYL VEGEQALMPI
TRIAFKVQQK RLTKTSRCGP WARFCNRFVD TWARDEDTVL KHLRASMKKL TRKQGDLPPP
AKPEQGSSAS RPVPASRGGK TLCKGDRQAP PGPPARFPRP IWSASPPRAP RSSTPCPGGA
VREDTYPVGT QGVPSPALAQ GGPQGSWRFL QWNSMPRLPT DLDVEGPWFR HYDFRQSCWV
RAISQEDQLA PCWQAEHPAE RVRSAFAAPS TDSDQGTPFR ARDEQQCAPT SGPCLCGLHL
ESSQFPPGF

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

| through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE Western blot. Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot Endotoxin Level: Low Endotoxin less than 1 EU/rng (< 0.1 ng/mg) Target Details Target: TBC1D3H Alternative Name: TBC1D3H (TBC1D3H Products) Background: TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for I Does not act on RAB4 or RAB11 (By similarity). {ECO.0000250}. Molecular Weight: 62.2 kDa UniProt: P0C7X1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functions as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to | tano | |
|--|--------------|---|
| Target Details Target: TBC1D3H Alternative Name: TBC1D3H (TBC1D3H Products) Background: TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for IDoes not act on RAB4 or RAB11 (By similarity). (ECC:0000250). Molecular Weight: 62.2 kDa UniProt: P0C7X1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | th | rotein containing fractions of the best purification are subjected to second purification ste nrough size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Vestern blot. |
| Target: TBC1D3H Alternative Name: TBC1D3H (TBC1D3H Products) Background: TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for independent of the protein for i | >80 | % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Target: TBC1D3H Alternative Name: TBC1D3H (TBC1D3H Products) Background: TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for I Does not act on RAB4 or RAB11 (By similarity). (ECO:0000250). Molecular Weight: 62.2 kDa UniProt: P0C7X1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not requested to the protein production machinery and the mitochondria to drive the reaction. During only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | el: Low | Endotoxin less than 1 EU/mg (< 0.1 ng/mg) |
| Alternative Name: TBC1D3H (TBC1D3H Products) TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for I Does not act on RAB4 or RAB11 (By similarity). {ECO:0000250}. Molecular Weight: 62.2 kDa UniProt: P0C7X1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functiona as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | ails | |
| Background: TBC1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for I Does not act on RAB4 or RAB11 (By similarity). {ECO:0000250}. Molecular Weight: 62.2 kDa UniProt: P0C7X1 Application Details In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | TBC | |
| Does not act on RAB4 or RAB11 (By similarity). {ECO:0000250}: Molecular Weight: 62.2 kDa UniProt: POC7X1 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | me: TBC | 21D3H (TBC1D3H Products) |
| UniProt: Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translation modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | | C1 domain family member 3H,FUNCTION: Acts as a GTPase activating protein for RAB5. |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | ight: 62.2 | ² kDa |
| Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | POC | :7X1 |
| as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | Details | |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to even the most difficult-to-express proteins, including those that require post-translatic modifications. During lysate production, the cell wall and other cellular components that are not required protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | as w | |
| protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | Nico ever | |
| something that functions like a cell, but without the constraints of a living system - all needed is the DNA that codes for the desired protein! | prot | ochondria to drive the reaction. During our lysate completion steps, the additional |
| Restrictions: For Research Use only | som | nething that functions like a cell, but without the constraints of a living system - all that's |
| | For | Research Use only |
| Handling | | |
| Format: Liquid | Liqu | uid |

Handling

| Buffer: | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. |
|------------------|--|
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |