



[Go to Product page](#)

Datasheet for ABIN3074037
TIAL1 Protein (AA 1-375) (Strep Tag)

Overview

Quantity:	1 mg
Target:	TIAL1
Protein Characteristics:	AA 1-375
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TIAL1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MMEDDGQPRT LYVGNLSRDV TEVLILQLFS QIGPCKSCKM ITEHTSNDPY CFVEFYEHDRD
AAAALAAMNG RKILGKEVKV NWATTPSSQK KDTSNHFHVF VGDLSPEITT EDIKSAFAPF
GKISDARVVK DMATGKSKGY GFVSFYNKLD AENAIVHMGG QWLGGQRIRT NWATRKPPAP
KSTQENNTKQ LRFEDVVNQS SPKNCTVYCG GIASGLTDQL MRQTFSPFGQ IMEIRVFPEK
GYSFVRFSTH ESAAHAIVSV NGTTIEGHVV KCYWGKESPD MTKNFQQVDY SQWGQWSQVY
GNPQQYGQYM ANGWQVPPYG VYGQPWNQQG FGVDQSPSAA WMGGFGAQQP QGQAPPPVIP
PPNQAGYGMA SYQTQ

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics: Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Product Details

Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target: TIAL1

Alternative Name: TIAL1 ([TIAL1 Products](#))

Background: Nucleolysin TIAR (TIA-1-related protein),FUNCTION: RNA-binding protein involved in alternative pre-RNA splicing and in cytoplasmic stress granules formation (PubMed:1326761, PubMed:8576255, PubMed:17488725, PubMed:10613902). Shows a preference for uridine-rich RNAs (PubMed:8576255). Activates splicing of alternative exons with weak 5' splice sites followed by a U-rich stretch on its own pre-mRNA and on TIA1 mRNA (By similarity). Promotes the inclusion of TIA1 exon 5 to give rise to the long isoform (isoform a) of TIA1 (PubMed:17488725). Acts downstream of the stress-induced phosphorylation of EIF2S1/EIF2A to promote the recruitment of untranslated mRNAs to cytoplasmic stress granules (SG) (PubMed:10613902). Possesses nucleolytic activity against cytotoxic lymphocyte target cells (PubMed:1326761). May be involved in apoptosis (PubMed:1326761). {ECO:0000250|UniProtKB:P70318, ECO:0000269|PubMed:10613902, ECO:0000269|PubMed:1326761, ECO:0000269|PubMed:17488725, ECO:0000269|PubMed:8576255}.

Molecular Weight: 41.6 kDa

UniProt: [Q01085](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)