

Datasheet for ABIN3074654 **TRAF7 Protein (AA 1-670) (Strep Tag)**



Go to Product page

Overview

Quantity:	250 μg
Target:	TRAF7
Protein Characteristics:	AA 1-670
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRAF7 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MSSGKSARYN RFSGGPSNLP TPDVTTGTRM ETTFGPAFSA VTTITKADGT STYKQHCRTP
	SSSSTLAYSP RDEEDSMPPI STPRRSDSAI SVRSLHSESS MSLRSTFSLP EEEEEPEPLV
	FAEQPSVKLC CQLCCSVFKD PVITTCGHTF CRRCALKSEK CPVDNVKLTV VVNNIAVAEQ
	IGELFIHCRH GCRVAGSGKP PIFEVDPRGC PFTIKLSARK DHEGSCDYRP VRCPNNPSCP
	PLLRMNLEAH LKECEHIKCP HSKYGCTFIG NQDTYETHLE TCRFEGLKEF LQQTDDRFHE
	MHVALAQKDQ EIAFLRSMLG KLSEKIDQLE KSLELKFDVL DENQSKLSED LMEFRRDASM
	LNDELSHINA RLNMGILGSY DPQQIFKCKG TFVGHQGPVW CLCVYSMGDL LFSGSSDKTI
	KVWDTCTTYK CQKTLEGHDG IVLALCIQGC KLYSGSADCT IIVWDIQNLQ KVNTIRAHDN
	PVCTLVSSHN VLFSGSLKAI KVWDIVGTEL KLKKELTGLN HWVRALVAAQ SYLYSGSYQT
	IKIWDIRTLD CIHVLQTSGG SVYSIAVTNH HIVCGTYENL IHVWDIESKE QVRTLTGHVG
	TVYALAVIST PDQTKVFSAS YDRSLRVWSM DNMICTQTLL RHQGSVTALA VSRGRLFSGA

VDSTVKVWTC

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Product Details > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). Purity: Grade: custom-made Target Details Target: TRAF7 Alternative Name: TRAF7 (TRAF7 Products) Background: E3 ubiquitin-protein ligase TRAF7 (EC 2.3.2.-) (EC 2.3.2.27) (RING finger and WD repeatcontaining protein 1) (RING finger protein 119) (RING-type E3 ubiquitin transferase TRAF7) (TNF receptor-associated factor 7), FUNCTION: E3 ubiquitin and SUMO-protein ligase that plays a role in different biological processes such as innate immunity, inflammation or apoptosis (PubMed:15001576, PubMed:37086853). Potentiates MAP3K3-mediated activation of JUN/AP1 and DDIT3 transcriptional regulators (PubMed:14743216). Negatively regulates MYB transcriptional activity by sequestering it to the cytosol via SUMOylation (By similarity). Plays a role in the phosphorylation of MAPK1 and/or MAPK3, probably via its interaction with MAP3K3. Negatively regulates RLR-mediated innate immunity by promoting 'Lys-48'-linked ubiquitination of TBK1 through its RING domain to inhibit the cellular antiviral response (PubMed:37086853). Promotes 'Lys-29'-linked polyubiquitination of NEMO/IKBKG and RELA leading to targeting these two proteins to lysosomal degradative pathways, reducing the transcriptional activity of NF-kappa-B (PubMed:21518757). {ECO:0000250|UniProtKB:Q922B6, ECO:0000269|PubMed:14743216, ECO:0000269|PubMed:15001576, ECO:0000269|PubMed:21518757, ECO:0000269|PubMed:29961569, ECO:0000269|PubMed:37086853}. Molecular Weight: 74.6 kDa UniProt: Q6Q0C0 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

Application Details

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months