

Datasheet for ABIN3074803

## TRIM17 / RNF16 Protein (TRIM17) (AA 1-477) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	TRIM17 / RNF16 (TRIM17)
Protein Characteristics:	AA 1-477
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIM17 / RNF16 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Brand:	AliCE®
Sequence:	<p>MEAVELARKL QEEATCSICL DYFTDPVMTT CGHNFCRACI QLSWEKARGK KGRRKRKGSF  PCPECREMSP QRNLLPNRLL TKVAEMAAQH PGLQKQDLCQ EHHEPLKLFC QKDQSPICVV  CRESREHRLH RVLPAEEAVQ GYKLKLEEDM EYLREQITRT GNLQAREEQS LAEWQGKVKE  RRERIVLEFE KMNLYLVEEE QRLLQALETE EEETASRLRE SVACLDROGH SLELLLLQLE  ERSTQGPLQM LQDMKEPLSR KNNVSVQCPE VAPPTRPRTV CRVPGQIEVL RGFLEDVVPD  ATSAYPYLLL YESRQRRYL G SSPEGSGFCS KDRFVAYPCA VGQTAFSSGR HYWEVGMNIT  GDALWALGVC RDNVSRKDRV PKCPENGFWV VQLSKGTKYL STFSALTPVM LMEPPSHMGI  FLDFEAGEVS FYSVSDGSHL HTYSQATFPG PLQPPFCLGA PKSGQMVIST VTMWVKG</p> <p><b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b></p>

# Product Details

---

Characteristics:	<div>Key Benefits:</div> <ul style="list-style-type: none"><li>• Made in Germany - from design to production - by highly experienced protein experts.</li><li>• Protein expressed with ALiCE® and purified in one-step affinity chromatography</li><li>• These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a <b>made-to-order protein</b> and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>The big advantage of ordering our <b>made-to-order proteins</b> in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p> <div>Expression System:</div> <ul style="list-style-type: none"><li>• ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</li><li>• During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</li></ul> <div>Concentration:</div> <ul style="list-style-type: none"><li>• The concentration of our recombinant proteins is measured using the absorbance at 280nm.</li><li>• The protein's absorbance will be measured against its specific reference buffer.</li><li>• We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.</li></ul>
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## Target Details

Target:	TRIM17 / RNF16 (TRIM17)
Alternative Name:	TRIM17 ( <a href="#">TRIM17 Products</a> )
Background:	<p>E3 ubiquitin-protein ligase TRIM17 (EC 2.3.2.27) (RING finger protein 16) (RING-type E3 ubiquitin transferase TRIM17) (Testis RING finger protein) (Tripartite motif-containing protein 17),FUNCTION: E3 ubiquitin ligase that plays important roles in the regulation of neuronal apoptosis, selective autophagy or cell proliferation (PubMed:22023800, PubMed:19358823, PubMed:27562068). Stimulates the degradation of kinetochore ZW10 interacting protein ZWINT in a proteasome-dependent manner, leading to negative regulation of cell proliferation (PubMed:22023800). Inhibits autophagic degradation of diverse known targets while contributing to autophagy of midbodies. Autophagy-inhibitory activity involves MCL1, which TRIM17 assembles into complexes with the key autophagy regulator BECN1 (PubMed:27562068). Controls neuronal apoptosis by mediating ubiquitination and degradation of MCL1 to initiate neuronal death. In addition, regulates NFAT transcription factors NFATC3 and NFATC4 activities by preventing their nuclear localization, thus inhibiting their transcriptional activities. Decreases TRIM41-mediated degradation of ZSCAN2 thereby stimulating alpha-synuclein/SNCA transcription in neuronal cells (By similarity). Prevents the E3 ubiquitin-ligase activity of TRIM28 and its interaction with anti-apoptotic BCL2A1, blocking TRIM28 from ubiquitinating BCL2A1 (PubMed:19358823). {ECO:0000250 UniProtKB:Q7TPM3, ECO:0000269 PubMed:19358823, ECO:0000269 PubMed:22023800, ECO:0000269 PubMed:27562068}.</p>
Molecular Weight:	54.4 kDa
UniProt:	<a href="#">Q9Y577</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the</p>

Application Details

mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months