

Datasheet for ABIN3075433

WASF1 Protein (AA 1-559) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|--|
| Quantity: | 250 µg |
| Target: | WASF1 |
| Protein Characteristics: | AA 1-559 |
| Origin: | Human |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This WASF1 protein is labelled with Strep Tag. |
| Application: | ELISA, Western Blotting (WB), SDS-PAGE (SDS) |

Product Details

| | |
|-----------|--|
| Brand: | AliCE® |
| Sequence: | <p>MPLVKRNIDP RHLCHTALPR GIKNELECVT NISLANIIRQ LSSLSKYAED IFGELFNEAH SFSFRVNSLQ ERVDRLSVSV TQLDPKEEEL SLQDITMRKA FRSSITQDQQ LFDKRTLPIP LQETYDVCEQ PPPLNILTPY RDDGKEGLKF YTNPSYFFDL WKEKMLQDTE DKRKEKRKQK QKNLDRPHEP EKVPRAPHDR RREWQKLAQG PELAEDDANL LHKHIEVANG PASHFETRPQ TYVDHMDGSY SLSALPFSQM SELLTRAEER VLVRPHEPPP PPPMHGAGDA KPIPTCISSA TGLIENRPQS PATGRTPVVFV SPTPPPPPPP LPSALSTSSL RASMTSTPPP PVPPPPPPPA TALQAPAVPP PPAPLQIAPG VLHPAPPIA PPLVQPSPPV ARAAPVCETV PVHPLPQGEV QGLPPPPPPP PLPPPGIRPS SPVTVTALAH PPSGLHPTPS TAPGPHVPLM PPSPPSQVIP ASEPKRHPST LPVISDARSV LLEAIRKGIQ LRVVEEQREQ EAKHERIEND VATILSRRIA VEYSDSEDDS EFDEVDWLE</p> |

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

| | |
|-------------------|---|
| Target: | WASF1 |
| Alternative Name: | WASF1 (WASF1 Products) |
| Background: | <p>Actin-binding protein WASF1 (Protein WAVE-1) (Verprolin homology domain-containing protein 1) (Wiskott-Aldrich syndrome protein family member 1) (WASP family protein member 1),FUNCTION: Downstream effector molecule involved in the transmission of signals from tyrosine kinase receptors and small GTPases to the actin cytoskeleton. Promotes formation of actin filaments. Part of the WAVE complex that regulates lamellipodia formation (PubMed:29961568). The WAVE complex regulates actin filament reorganization via its interaction with the Arp2/3 complex (By similarity). As component of the WAVE1 complex, required for BDNF-NTRK2 endocytic trafficking and signaling from early endosomes (By similarity). Also involved in the regulation of mitochondrial dynamics (PubMed:29961568). {ECO:0000250 UniProtKB:Q8R5H6, ECO:0000269 PubMed:29961568, ECO:0000269 PubMed:9889097}.</p> |
| Molecular Weight: | 61.7 kDa |
| UniProt: | Q92558 |
| Pathways: | RTK Signaling, Regulation of Actin Filament Polymerization |

Application Details

| | |
|--------------------|--|
| Application Notes: | <p>In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.</p> |
| Comment: | <p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p> |
| Restrictions: | For Research Use only |

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months