antibodies -online.com





VTI1A Protein (AA 1-192) (His tag)



Image



Go to Product page

()	1 /	\sim	KI /	110	Νę
	1//	\vdash	I \/	1 ←	٠// ٢

Quantity:	1 mg	
Target:	VTI1A	
Protein Characteristics:	AA 1-192	
Origin:	Human	
Source:	Escherichia coli (E. coli)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This VTI1A protein is labelled with His tag.	
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)	
Product Details		

Арріісаtіон.	ELISA, SDS-FAGE (SDS), Western blotting (WB), Grystalization (Grys)
Product Details	
Sequence:	MSSDFEGYEQ DFAVLTAEIT SKIARVPRLP PDEKKQMVAN VEKQLEEAKE LLEQMDLEVR EIPPQSRGMY SNRMRSYKQE MGKLETDFKR SRIAYSDEVR NELLGDDGNS SENQRAHLLD NTERLERSSR RLEAGYQIAV ETEQIGQEML ENLSHDREKI QRARERLRET DANLGKSSRI
	LTGMLRRIIQ NR Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human VTI1A Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/4 | Product datasheet for ABIN3075465 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

specific reference buffer.

Target Details

Target:	VTI1A
Alternative Name:	VTI1A (VTI1A Products)
Background:	V-SNARE that mediates vesicle transport pathways through interactions with t-SNAREs on the
	target membrane. These interactions are proposed to mediate aspects of the specificity of
	vesicle trafficking and to promote fusion of the lipid bilayers. Involved in vesicular transport

Target Details	
	from the late endosomes to the trans-Golgi network. Along with VAMP7, involved in an non-conventional RAB1-dependent traffic route to the cell surface used by KCNIP1 and KCND2. May be involved in increased cytokine secretion associated with cellular senescence. {ECO:0000269 PubMed:18195106, ECO:0000269 PubMed:19138172}.
Molecular Weight:	23.4 kDa Including tag.
UniProt:	Q96AJ9
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process