

# Datasheet for ABIN3076226

## YY1AP1 Protein (AA 1-796) (Strep Tag)



Go to Product page

### Overview

Quantity:	250 μg
Target:	YY1AP1
Protein Characteristics:	AA 1-796
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This YY1AP1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details	
Brand:	AliCE®
Sequence:	MEEEASRSAA ATNPGSRLTR WPPPDKREGS AVDPGKRRSL AATPSSSLPC TLIALGLRHE
	KEANELMEDL FETFQDEMGF SNMEDDGPEE EERVAEPQAN FNTPQALRFE ELLANLLNEQ
	HQIAKELFEQ LKMKKPSAKQ QKEVEKVKPQ CKEVHQTLIL DPAQRKRLQQ QMQQHVQLLT
	QIHLLATCNP NLNPEASSTR ICLKELGTFA QSSIALHHQY NPKFQTLFQP CNLMGAMQLI
	EDFSTHVSID CSPHKTVKKT ANEFPCLPKQ VAWILATSKV FMYPELLPVC SLKAKNPQDK
	ILFTKAEDNK YLLTCKTARQ LTVRIKNLNM NRAPDNIIKF YKKTKQLPVL GKCCEEIQPH
	QWKPPIEREE HRLPFWLKAS LPSIQEELRH MADGAREVGN MTGTTEINSD QGLEKDNSEL
	GSETRYPLLL PKGVVLKLKP VADRFPKKAW RQKRSSVLKP LLIQPSPSLQ PSFNPGKTPA
	QSTHSEAPPS KMVLRIPHPI QPATVLQTVP GVPPLGVSGG ESFESPAALP AMPPEARTSF
	PLSESQTLLS SAPVPKVMMP SPASSMFRKP YVRRRPSKRR GARAFRCIKP APVIHPASVI
	FTVPATTVKI VSLGGGCNMI QPVNAAVAQS PQTIPIATLL VNPTSFPCPL NQPLVASSVS

PLIVSGNSVN LPIPSTPEDK AHMNVDIACA VADGENAFQG LEPKLEPQEL SPLSATVFPK
VEHSPGPPPV DKQCQEGLSE NSAYRWTVVK TEEGRQALEP LPQGIQESLN NSSPGDLEEV
VKMEPEDATE EISGFL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

#### Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression

#### **Product Details**

carcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin rem complex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Pl role in cell cycle regulation (PubMed:17541814, PubMed:27939641). (ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814, ECO:0000269 PubMed:27939641).  Molecular Weight: 87.9 kDa  UniProt: Q9H869  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to p even the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to	Product Details	
Target Details  Target: YY1AP1  Alternative Name: YY1AP1 (YY1AP1 Products)  Background: YY1-associated protein 1 (Hepatocellular carcinoma susceptibility protein) (Hepatocellular carcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin remomplex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Plot role in cell cycle regulation (PubMed:17541814, PubMed:27939641). (ECO:0000269)PubMed:14744866, ECO:0000269)PubMed:17541814, ECO:0000269)PubMed:27939641}.  Molecular Weight: 87.9 kDa  UniProt: Q9H869  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained finitional tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all its something that functions like a cell, but without the constraints of a living system - all its something that functions like a cell, but without the constraints of a living system - all its something that functions like a cell, but without the constraints of a living system - all its something that functions like a cell, but without the constraints of a living system - all its something that functions like a cell, but without the constrain		System (AliCE®).
Target Details  Target: YY1AP1  Alternative Name: YY1AP1 (YY1AP1 Products)  Background: YY1-associated protein 1 (Hepatocellular carcinoma susceptibility protein) (Hepatocellular carcinoma-sasociated protein 2), FUNCTION: Associates with the INO90 chromatin remomplex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Inhances transcription activation by YY1 (PubMed:14744866). Planting in cell cycle regulation (PubMed:17541814, PubMed:27939641). (ECO:0000269) PubMed:174744866, ECO:0000269) PubMed:17541814, ECO:0000269) PubMed:27939641).  Molecular Weight: 87.9 kDa  UniProt: Q9H869  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all to something that functions like a cell, but without the constraints of a living system - all to something that functions like a cell, but without the constraints of a living system - all to something that functions like a cell, but without the constraints of a living system - all to something that functions like a cell, but without the constraints of a living system - all to some thing the protein production are cell to some thing the	Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Target: YY1AP1 Alternative Name: YY1AP1 (YY1AP1 Products)  Background: YY1-associated protein 1 (Hepatocellular carcinoma susceptibility protein) (Hepatocellular carcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin remormlex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Plice in cell cycle regulation (PubMed:17541814, PubMed:27939641).  {ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814, ECO:0000269 PubMed:27939641}.  Molecular Weight: 87.9 kDa  UniProt: Q9H869  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained final Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all ti	Grade:	custom-made
Alternative Name: YY1AP1 (YY1AP1 Products)  Background: YY1-associated protein 1 (Hepatocellular carcinoma susceptibility protein) (Hepatocellucarcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin remomplex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Planting role in cell cycle regulation (PubMed:17541814, PubMed:27939641). (ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814, ECO:0000269 PubMed:27939641).  Molecular Weight: 87.9 kDa  UniProt: Q9H869  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment: ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained findications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all tiles.	Target Details	
Background:  YY1-associated protein 1 (Hepatocellular carcinoma susceptibility protein) (Hepatocellucarcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin remomplex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Place in cell cycle regulation (PubMed:17541814, PubMed:27939641). (ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814, ECO:0000269 PubMed:27939641).  Molecular Weight:  87.9 kDa  UniProt:  Q9H869  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained findications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all tiving system - all tivin	Target:	YY1AP1
carcinoma-associated protein 2),FUNCTION: Associates with the INO80 chromatin rem complex, which is responsible for transcriptional regulation, DNA repair, and replication (PubMed:27939641). Enhances transcription activation by YY1 (PubMed:14744866). Pl role in cell cycle regulation (PubMed:17541814, PubMed:27939641).  (ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814, ECO:0000269 PubMed:27939641}).  Molecular Weight:  87.9 kDa  UniProt:  O9H869  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained fi Nicotiana tabacum c.v This contains all the protein expression machinery needed to p even the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to something that functions like a cell, but without the constraints of a living system - all tiles.	Alternative Name:	YY1AP1 (YY1AP1 Products)
UniProt:  Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained find Nicotiana tabacum c.v This contains all the protein expression machinery needed to preven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to protein ground the constraints of a living system - all the something that functions like a cell, but without the constraints of a living system - all the protein production of the protein ground the constraints of a living system - all the protein production of the protein ground the protein ground the constraints of a living system - all the protein ground the ground th	Background:	{ECO:0000269 PubMed:14744866, ECO:0000269 PubMed:17541814,
Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to pomenting that functions like a cell, but without the constraints of a living system - all tiles.	Molecular Weight:	87.9 kDa
Application Notes:  In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to preven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to protein growth that functions like a cell, but without the constraints of a living system - all the protein production is a living system - all the protein growth and protein growth as a cell, but without the constraints of a living system - all the protein growth and protein growth and protein growth are protein growth.	UniProt:	Q9H869
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  Comment:  ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained for Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to perform the constraints of a living system - all the constraints of	Application Details	
Nicotiana tabacum c.v This contains all the protein expression machinery needed to peven the most difficult-to-express proteins, including those that require post-translation modifications.  During lysate production, the cell wall and other cellular components that are not require protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to perform that functions like a cell, but without the constraints of a living system - all the	Application Notes:	
	Comment:	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's
Restrictions: For Research Use only	Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months