



[Go to Product page](#)

Datasheet for ABIN3076239

ZC3H12C Protein (AA 1-883) (Strep Tag)

1 Image

Overview

Quantity:	1 mg
Target:	ZC3H12C
Protein Characteristics:	AA 1-883
Origin:	Human
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ZC3H12C protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MPGGGSQEYG VLCIQEYRKN SKVESSTRNN FMGLKDHLGH DLGHLYVEST DPQLSPAVPW
STVENPSMDT VNVGKDEKEA SEENASSGDS EENTNSDHES EQLGSISVEP GLITKTHRQL
CRSPCLEPHI LKRNEILQDF KPEESQTTSK EAKKPPDVVR EYQTKLEFAL KLGYSSEEQVQ
LVLNKLGTDA LINDILGELV KLGNKSEADQ TVSTINTITR ETSSLESQRS ESPMQEIVTD
DGENLRPIVI DGSNVAMSHG NKEVFSCRGI KLAVDWFLER GHKDITVFVP AWRKEQSRPD
ALITDQEILR KLEKEKILVF TPSRRVQGR VVCYDDRFIV KLAFESDGII VSDNYRDLA
NEKPEWKKFI DERLLMYSFV NDKFMPPDDP LGRHGPSLDN FLRKKPIVPE HKKQPCPYGK
KCTYGHKCKY YHPERGSQPQ RSVADELRAM SRNTAAKTAN EGGLVKSNSV PCSTKADSTS
DVKRGAPKRQ SDPSIRTQVY QDLEEKLPK NKLETRSVPS LVSIPATSTA KPQSTTSLSN
GLPSGVHFPP QDQRPQGQYP SMMMATKNHG TPMPYEQYPK CDSVPDIGYY SMLNAYSNLS
LSGPRSPERR FSLDTDYRIS SVASDCSSEG SMSGSSDSY VGYNDRSYVS SPDPQLEENL
KCQHMHPHSR LNPQPFLQNF HDPLTRGQSY SHEEPKFHHK PPLPHLALHL PHSAVGARSS

CPGDYSPSPS SAHSKAPHLG RSLVATRIDS ISDSRLYDSS PSRQRKPYSR QEGLGSWERP
GYGIDAYGYR QTYSLPDNST QPCYEQFTFQ SLPEQQEPAW RIPPYCGMPQD PPRYQDNREK
IYNLNCNIFP PDLVRIVMKR NPHMTDAQQL AAAILVEKSQ LGY

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	ZC3H12C
Alternative Name:	ZC3H12C (ZC3H12C Products)
Background:	Probable ribonuclease ZC3H12C (EC 3.1.-.-) (MCP-induced protein 3) (Zinc finger CCCH domain-containing protein 12C),FUNCTION: May function as RNase and regulate the levels of target RNA species. {ECO:0000305}.
Molecular Weight:	99.3 kDa
UniProt:	Q9C0D7

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce

Application Details

something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process