

Datasheet for ABIN3076707

## C1orf55 Protein (AA 1-451) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	250 µg
Target:	C1orf55
Protein Characteristics:	AA 1-451
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This C1orf55 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

### Product Details

Brand:	AliCE®
Sequence:	<p>MAEAAALVWI RGPFGCKAV RCASGRCTVR DFIHRHCQDQ NVPVENFFVK CNGALINTSD  TVQHGA VYSL EPRLCGGKGG FGSMRLRALGA QIEKTTNREA CRDLSGRRLR DVNHEKAMAE  WVKQQAEREA EKEQKRLERL QRKLVEPKHC FTSPDYQQQC HEMAERLEDS VLKGMQAASS  KMVSAEISEN RKRQWPTKSQ TDRGASAGKR RCFWLGMEGL ETAEGSNSES SDDDSEEAPS  TSGMGFHAPK IGSNGVEMAA KFPSGSQRRAR VVNTDHGSPE QLQIPVTD SG RHILEDSCAE  LGESKEHMES RMVTETEETQ EKKAESKEPI EEEPTGAGLN KDKETEERTD GERVAEVAPE  ERENVAVAKL QESQPGNAVI DKETIDLLAF TSVAELELLG LEKLCCELMA LGLKCGGTLQ  ERAARLFSVR GLAKEQIDPA LFAKPLKGKK K</p> <p><b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b></p>

# Product Details

---

Characteristics:	<div>Key Benefits:</div> <ul style="list-style-type: none"><li>• Made in Germany - from design to production - by highly experienced protein experts.</li><li>• Protein expressed with ALiCE® and purified in one-step affinity chromatography</li><li>• These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a <b>made-to-order protein</b> and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>The big advantage of ordering our <b>made-to-order proteins</b> in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p> <div>Expression System:</div> <ul style="list-style-type: none"><li>• ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</li><li>• During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</li></ul> <div>Concentration:</div> <ul style="list-style-type: none"><li>• The concentration of our recombinant proteins is measured using the absorbance at 280nm.</li><li>• The protein's absorbance will be measured against its specific reference buffer.</li><li>• We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.</li></ul>
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## Target Details

Target:	C1orf55
Alternative Name:	SDE2 ( <a href="#">C1orf55 Products</a> )
Background:	<p>Splicing regulator SDE2 (Replication stress response regulator SDE2),FUNCTION: Inhibits translesion DNA synthesis by preventing monoubiquitination of PCNA, this is necessary to counteract damage due to ultraviolet light-induced replication stress (PubMed:27906959). SDE2 is cleaved following PCNA binding, and its complete degradation is necessary to allow S-phase progression following DNA damage (PubMed:27906959).</p> <p>{ECO:0000269 PubMed:27906959}., FUNCTION: Plays a role in pre-mRNA splicing by facilitating excision of relatively short introns featuring weak 3'-splice sites (ss) and high GC content (PubMed:34365507). May recruit CACTIN to the spliceosome (By similarity).</p> <p>{ECO:0000250 UniProtKB:O14113, ECO:0000269 PubMed:34365507}., FUNCTION: Plays a role in ribosome biogenesis by enabling SNORD3- and SNORD118-dependent cleavage of the 47S rRNA precursor (PubMed:34365507). Binds ncRNA (non-coding RNA) including the snoRNAs SNORD3 and SNORD118 (PubMed:34365507). {ECO:0000269 PubMed:34365507}.</p>
Molecular Weight:	49.7 kDa
UniProt:	<a href="#">Q6IQ49</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

## Handling

---

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months