antibodies.com

Datasheet for ABIN3077204 RBM17 Protein (AA 2-401) (His tag)

Image



Overview

Quantity:	1 mg
Target:	RBM17
Protein Characteristics:	AA 2-401
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RBM17 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:	SLYDDLGVET SDSKTEGWSK NFKLLQSQLQ VKKAALTQAK SQRTKQSTVL APVIDLKRGG
	SSDDRQIVDT PPHVAAGLKD PVPSGFSAGE VLIPLADEYD PMFPNDYEKV VKRQREERQR
	QRELERQKEI EEREKRRKDR HEASGFARRP DPDSDEDEDY ERERRKRSMG GAAIAPPTSL
	VEKDKELPRD FPYEEDSRPR SQSSKAAIPP PVYEEQDRPR SPTGPSNSFL ANMGGTVAHK
	IMQKYGFREG QGLGKHEQGL STALSVEKTS KRGGKIIVGD ATEKDASKKS DSNPLTEILK
	CPTKVVLLRN MVGAGEVDED LEVETKEECE KYGKVGKCVI FEIPGAPDDE AVRIFLEFER
	VESAIKAVVD LNGRYFGGRV VKACFYNLDK FRVLDLAEQV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human RBM17 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3077204 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Alternative Name:	RBM17 (RBM17 Products)
Target:	RBM17
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Purification:	 Two step purification of proteins expressed in bacterial culture: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
	 custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
	 State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for
	State-of-the-art algorithm used for plasmid design (Gene synthesis)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3077204 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Background:	Splice factor that binds to the single-stranded 3'AG at the exon/intron border and promotes its utilization in the second catalytic step. Involved in the regulation of alternative splicing and the utilization of cryptic splice sites. Promotes the utilization of a cryptic splice site created by the beta-110 mutation in the HBB gene. The resulting frameshift leads to sickle cell anemia. {ECO:0000269 PubMed:12015979, ECO:0000269 PubMed:17589525}.
Molecular Weight:	45.8 kDa Including tag.
UniProt:	Q96I25
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3077204 | 09/11/2023 | Copyright antibodies-online. All rights reserved.