# antibodies .- online.com





# TRAF3IP2 Protein (AA 1-574) (Strep Tag)



Go to Product pag

#### Overview

Quantity:	1 mg
Target:	TRAF3IP2
Protein Characteristics:	AA 1-574
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRAF3IP2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

#### **Product Details**

Sequence:

MPPQLQETRM NRSIPVEVDE SEPYPSQLLK PIPEYSPEEE SEPPAPNIRN MAPNSLSAPT
MLHNSSGDFS QAHSTLKLAN HQRPVSRQVT CLRTQVLEDS EDSFCRRHPG LGKAFPSGCS
AVSEPASESV VGALPAEHQF SFMEKRNQWL VSQLSAASPD TGHDSDKSDQ SLPNASADSL
GGSQEMVQRP QPHRNRAGLD LPTIDTGYDS QPQDVLGIRQ LERPLPLTSV CYPQDLPRPL
RSREFPQFEP QRYPACAQML PPNLSPHAPW NYHYHCPGSP DHQVPYGHDY PRAAYQQVIQ
PALPGQPLPG ASVRGLHPVQ KVILNYPSPW DHEERPAQRD CSFPGLPRHQ DQPHHQPPNR
AGAPGESLEC PAELRPQVPQ PPSPAAVPRP PSNPPARGTL KTSNLPEELR KVFITYSMDT
AMEVVKFVNF LLVNGFQTAI DIFEDRIRGI DIIKWMERYL RDKTVMIIVA ISPKYKQDVE
GAESQLDEDE HGLHTKYIHR MMQIEFIKQG SMNFRFIPVL FPNAKKEHVP TWLQNTHVYS
WPKNKKNILL RLLREEEYVA PPRGPLPTLQ VVPL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

#### have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

	2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Target Details	
Target:	TRAF3IP2
Alternative Name:	TRAF3IP2 (TRAF3IP2 Products)
Background:	E3 ubiquitin ligase TRAF3IP2 (EC 2.3.2.27) (Adapter protein CIKS) (Connection to IKK and SAPK/JNK) (E3 ubiquitin-protein ligase CIKS) (Nuclear factor NF-kappa-B activator 1) (ACT1)
	(TRAF3-interacting protein 2), FUNCTION: E3 ubiquitin ligase that catalyzes 'Lys-63'-linked
	polyubiquitination of target protein, enhancing protein-protein interaction and cell signaling
	(PubMed:19825828). Transfers ubiquitin from E2 ubiquitin-conjugating enzyme UBE2V1-
	UBE2N to substrate protein (PubMed:19825828). Essential adapter molecule in IL17A-mediated
	signaling (PubMed:19825828, PubMed:24120361). Upon IL17A stimulation, interacts with
	IL17RA and IL17RC receptor chains through SEFIR domains and catalyzes 'Lys-63'-linked
	polyubiquitination of TRAF6, leading to TRAF6-mediated activation of NF-kappa-B and
	MAPkinase pathways (PubMed:19825828). {ECO:0000269 PubMed:19825828,
	ECO:0000269 PubMed:24120361, ECO:0000269 PubMed:33723527}.
Molecular Weight:	64.7 kDa
UniProt:	043734
Pathways:	Production of Molecular Mediator of Immune Response
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.

### **Application Details**

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)