antibodies

## Datasheet for ABIN3078129 COX11 Protein (AA 115-276) (His tag)





Overview

| Quantity:                     | 1 mg  |
|-------------------------------|---|
| Target:                       | COX11   |
| Protein Characteristics:      | AA 115-276  |
| Origin:                       | Human   |
| Source:                       | Escherichia coli (E. coli)  |
| Protein Type:                 | Recombinant   |
| Purification tag / Conjugate: | This COX11 protein is labelled with His tag.  |
| Application:                  | ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)  |
| Product Details               |   |
| Sequence:                     | PLYRLYCQTT GLGGSAVAGH ASDKIENMVP VKDRIIKISF NADVHASLQW NFRPQQTEIY   |
|                               | VVPGETALAF YRAKNPTDKP VIGISTYNIV PFEAGQYFNK IQCFCFEEQR LNPQEEVDMP   |
|                               | VFFYIDPEFA EDPRMIKVDL ITLSYTFFEA KEGHKLPVPG YN  |
|                               | Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a  |
|                               | special request, please contact us.   |
| Characteristics:              | <ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Human COX11 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.</li> </ul> |
|                               | • State-of-the-art algorithm used for plasmid design (Gene synthesis).  |
|                               | This protein is a made to order protein and will be made for the first time for your order. Our   |
|                               | experts in the lab will ensure that you receive a correctly folded protein.   |
|                               |   |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3078129 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

|                   | made proteins from other companies is that there is no financial obligation in case the protein  |
|-------------------|--|
|                   | cannot be expressed or purified.   |
|                   | In the unlikely event that the protein cannot be expressed or purified we do not charge anything   |
|                   | (other companies might charge you for any performed steps in the expression process for  |
|                   | custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression   |
|                   | experiments or purification optimization).   |
|                   | When you order this made-to-order protein you will only pay upon receival of the correctly   |
|                   | folded protein. With no financial risk on your end you can rest assured that our experienced   |
|                   | protein experts will do everything to make sure that you receive the protein you ordered.  |
|                   | The concentration of our recombinant proteins is measured using the absorbance at 280nm.   |
|                   | The protein's absorbance will be measured in several dilutions and is measured against its   |
|                   | specific reference buffer.   |
|                   | The concentration of the protein is calculated using its specific absorption coefficient. We use   |
|                   | the Expasy's protparam tool to determine the absorption coefficient of each protein.   |
| Purification:     | Two step purification of proteins expressed in bacterial culture:  |
|                   | <ol> <li>In a first purification step, the protein is purified from the cleared cell lysate using three<br/>different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate<br/>fractions are analyzed by SDS-PAGE.</li> </ol> |
|                   | <ol> <li>Protein containing fractions of the best purification are subjected to second purification step<br/>through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and<br/>Western blot.</li> </ol>                           |
| Purity:           | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.   |
| Sterility:        | 0.22 µm filtered   |
| Endotoxin Level:  | Endotoxin has not been removed. Please contact us if you require endotoxin removal.  |
| Grade:            | Crystallography grade  |
| Target Details    |  |
| Target:           | COX11  |
| Alternative Name: | COX11 (COX11 Products)   |
| Background:       | Exerts its effect at some terminal stage of cytochrome c oxidase synthesis, probably by being  |
|                   | involved in the insertion of the copper B into subunit I. {ECO:0000250}.   |
| Molecular Weight: | 19.5 kDa Including tag.  |
| UniProt:          | Q9Y6N1   |
|                   |  |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3078129 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

| Target Details      |  |
|---------------------|--|
| Pathways:           | Regulation of Carbohydrate Metabolic Process   |
| Application Details |  |
| Application Notes:  | In addition to the applications listed above we expect the protein to work for functional studies<br>as well. As the protein has not been tested for functional studies yet we cannot offer a<br>guarantee though.   |
| Comment:            | In cases in which it is highly likely that the recombinant protein with the default tag will be<br>insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to<br>increase solubility. We will discuss all possible options with you in detail to assure that you<br>receive your protein of interest. |
| Restrictions:       | For Research Use only  |
| Handling            |  |
| Format:             | Liquid   |
| Buffer:             | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.   |
| Handling Advice:    | Avoid repeated freeze-thaw cycles.   |
| Storage:            | -80 °C   |
| Storage Comment:    | Store at -80°C.  |
| Expiry Date:        | Unlimited (if stored properly)   |

## Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process