

Datasheet for ABIN3078137

CYP2B6 Protein (AA 1-491) (Strep Tag)



Overview

Quantity:	1 mg
Target:	CYP2B6
Protein Characteristics:	AA 1-491
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CYP2B6 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

- PP	
Product Details	
Brand:	AliCE®
Sequence:	MELSVLLFLA LLTGLLLLLV QRHPNTHDRL PPGPRPLPLL GNLLQMDRRG LLKSFLRFRE
	KYGDVFTVHL GPRPVVMLCG VEAIREALVD KAEAFSGRGK IAMVDPFFRG YGVIFANGNR
	WKVLRRFSVT TMRDFGMGKR SVEERIQEEA QCLIEELRKS KGALMDPTFL FQSITANIIC
	SIVFGKRFHY QDQEFLKMLN LFYQTFSLIS SVFGQLFELF SGFLKYFPGA HRQVYKNLQE
	INAYIGHSVE KHRETLDPSA PKDLIDTYLL HMEKEKSNAH SEFSHQNLNL NTLSLFFAGT
	ETTSTTLRYG FLLMLKYPHV AERVYREIEQ VIGPHRPPEL HDRAKMPYTE AVIYEIQRFS
	DLLPMGVPHI VTQHTSFRGY IIPKDTEVFL ILSTALHDPH YFEKPDAFNP DHFLDANGAL
	KKTEAFIPFS LGKRICLGEG IARAELFLFF TTILQNFSMA SPVAPEDIDL TPQECGVGKI
	PPTYQIRFLP R
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	CYP2B6
Alternative Name:	CYP2B6 (CYP2B6 Products)
Background:	Cytochrome P450 2B6 (EC 1.14.13) (1,4-cineole 2-exo-monooxygenase) (CYPIIB6)
	(Cytochrome P450 IIB1),FUNCTION: A cytochrome P450 monooxygenase involved in the
	metabolism of endocannabinoids and steroids (PubMed:21289075, PubMed:12865317).
	Mechanistically, uses molecular oxygen inserting one oxygen atom into a substrate, and
	reducing the second into a water molecule, with two electrons provided by NADPH via
	cytochrome P450 reductase (NADPHhemoprotein reductase). Catalyzes the epoxidation of
	double bonds of arachidonoylethanolamide (anandamide) to 8,9-, 11,12-, and 14,15-
	epoxyeicosatrienoic acid ethanolamides (EpETrE-EAs), potentially modulating endocannabinoid
	system signaling (PubMed:21289075). Hydroxylates steroid hormones, including testosterone
	at C-16 and estrogens at C-2 (PubMed:21289075, PubMed:12865317). Plays a role in the
	oxidative metabolism of xenobiotics, including plant lipids and drugs (PubMed:11695850,
	PubMed:22909231). Acts as a 1,4-cineole 2-exo-monooxygenase (PubMed:11695850).
	{ECO:0000269 PubMed:11695850, ECO:0000269 PubMed:12865317,
	ECO:0000269 PubMed:21289075, ECO:0000269 PubMed:22909231}., FUNCTION: Allele 2B6*9:
	Has low affinity for anandamide and can only produce 11,12 EpETrE-EAs.
	{ECO:0000269 PubMed:21289075}.
Molecular Weight:	56.3 kDa
UniProt:	P20813
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months