.-online.com antibodies

## Datasheet for ABIN3078398 Crk Protein (AA 2-304) (His tag)



Overview	
Quantity:	1 mg
Target:	Crk (CRK)
Protein Characteristics:	AA 2-304
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Crk protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)
Product Details	
Sequence:	AGNFDSEERS SWYWGRLSRQ EAVALLQGQR HGVFLVRDSS TSPGDYVLSV SENSRVSHYI
	INSSGPRPPV PPSPAQPPPG VSPSRLRIGD QEFDSLPALL EFYKIHYLDT TTLIEPVSRS
	RQGSGVILRQ EEAEYVRALF DFNGNDEEDL PFKKGDILRI RDKPEEQWWN AEDSEGKRGM
	IPVPYVEKYR PASASVSALI GGNQEGSHPQ PLGGPEPGPY AQPSVNTPLP NLQNGPIYAR
	VIQKRVPNAY DKTALALEVG ELVKVTKINV SGQWEGECNG KRGHFPFTHV RLLDQQNPDE DFS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Human CRK Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a made to order protein and will be made for the first time for your order. Our

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3078398 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	<ol> <li>In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li> </ol>
	<ol> <li>Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> </ol>
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	

## Target Details

Target:	Crk (CRK)
Alternative Name:	CRK (CRK Products)
Background:	The Crk-I and Crk-II forms differ in their biological activities. Crk-II has less transforming activity
	than Crk-I. Crk-II mediates attachment-induced MAPK8 activation, membrane ruffling and cell

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3078398 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

## Target Details

	motility in a Rac-dependent manner. Involved in phagocytosis of apoptotic cells and cell motility
	via its interaction with DOCK1 and DOCK4. May regulate the EFNA5-EPHA3 signaling.
	{EC0:0000269 PubMed:11870224, EC0:0000269 PubMed:1630456,
	EC0:0000269 PubMed:17515907}.
Molecular Weight:	34.7 kDa Including tag.
UniProt:	P46108
Pathways:	Neurotrophin Signaling Pathway, CXCR4-mediated Signaling Events, Signaling of Hepatocyte
	Growth Factor Receptor
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)