.-online.com antibodies

## Datasheet for ABIN3078506 CTGF Protein (AA 27-349) (His tag)



Overview	
Quantity:	1 mg
Target:	CTGF
Protein Characteristics:	AA 27-349
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTGF protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	QNCSGPCRCP DEPAPRCPAG VSLVLDGCGC CRVCAKQLGE LCTERDPCDP HKGLFCHFGS
	PANRKIGVCT AKDGAPCIFG GTVYRSGESF QSSCKYQCTC LDGAVGCMPL CSMDVRLPSP
	DCPFPRRVKL PGKCCEEWVC DEPKDQTVVG PALAAYRLED TFGPDPTMIR ANCLVQTTEW
	SACSKTCGMG ISTRVTNDNA SCRLEKQSRL CMVRPCEADL EENIKKGKKC IRTPKISKPI
	KFELSGCTSM KTYRAKFCGV CTDGRCCTPH RTTTLPVEFK CPDGEVMKKN MMFIKTCACH
	YNCPGDNDIF ESLYYRKMYG DMA
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Human CTGF Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3078506 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Product Details	
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	<ol> <li>In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li> </ol>
	2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	CTGF
Alternative Name:	CTGF (CTGF Products)
De el cente un el	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3078506 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Major connective tissue mitoattractant secreted by vascular endothelial cells. Promotes

Background:

## Target Details

proliferation and differentiation of chondrocytes: Mediates heparin- and divalent cation- dependent cell adhesion in many cell types including fibroblasts, myofibroblasts, endothelial and epithelial cells. Enhances fibroblast growth factor-induced DNA synthesis. (ECO:0000269)PubMed:10514647, ECO:0000269)PubMed:12553878).Molecular Weight:36.4 KDa Including tag.UniProt:P29279Pathways:Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor BindingApplication DetailsIn addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.Comment:In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyHandlingFormat:LiquidBuffer.100 mM NaCL 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Handling Advice:Avoid repeated freeze-thaw cycles.Store at -80°C.Storage Comment:Store at -80°C.Expiry DateUnlimited (if stored properly)		
and epithelial cells. Enhances fibroblast growth factor-induced DNA synthesis.         (EC0.0000269)PubMed:10614647, EC0.0000269)PubMed:12553878}.         Molecular Weight:       36.4 kDa Including tag.         UniProt:       P29279         Pathways:       Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor Binding         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST+tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C		proliferation and differentiation of chondrocytes. Mediates heparin- and divalent cation-
(EC0.0000269]PubMed:10614647, EC0.0000269]PubMed:12553878).         Molecular Weight:       36.4 kDa Including tag.         UniProt:       P29279         Pathways:       Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor Binding         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze thaw cycles.         Storage:       -60 °C         Storage:       -60 °C.		dependent cell adhesion in many cell types including fibroblasts, myofibroblasts, endothelial
Molecular Weight:       36.4 kDa Including tag.         JniProt:       P29279         Pathways:       Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor Binding         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -60 °C		and epithelial cells. Enhances fibroblast growth factor-induced DNA synthesis.
UniProt:       P29279         Pathways:       Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor Binding         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage:       -80 °C		{ECO:0000269 PubMed:10614647, ECO:0000269 PubMed:12553878}.
Pathways:       Regulation of Lipid Metabolism by PPARalpha, Positive Regulation of Endopeptidase Activity, Growth Factor Binding         Application Details       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid         Buffer:       100 mM NaCL_20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage Comment:       Storage t-80°C.	Molecular Weight:	36.4 kDa Including tag.
Application Details         Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Iou mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage Comment:       Store at -80°C.	JniProt:	P29279
Application Notes:       In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.         Comment:       In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling       Liquid         Buffer:       100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage Comment:       Store at -80°C.	Pathways:	
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.Comment:In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.Restrictions:For Research Use onlyFormat:LiquidSuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.Handling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.         Restrictions:       For Research Use only         Handling	Application Notes:	
Handling         Format:       Liquid         Buffer:       100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.         Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage Comment:       Store at -80°C.	Comment:	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you
Format:LiquidBuffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.Handling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Restrictions:	For Research Use only
Buffer:100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.Handling Advice:Avoid repeated freeze-thaw cycles.Storage:-80 °CStorage Comment:Store at -80°C.	Handling	
Handling Advice:       Avoid repeated freeze-thaw cycles.         Storage:       -80 °C         Storage Comment:       Store at -80°C.	Format:	Liquid
Storage:     -80 °C       Storage Comment:     Store at -80°C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)