antibodies -online.com





DGAT2 Protein (AA 113-388) (His tag)



Image



Go to Product page

\sim			
	$ \backslash / \cap$	r\/I	\square

Quantity:	1 mg	
Target:	DGAT2	
Protein Characteristics:	AA 113-388	
Origin:	Human	
Source:	Escherichia coli (E. coli)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This DGAT2 protein is labelled with His tag.	
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)	
Product Details		
Sequence:	DWNTPKKGGR RSQWVRNWAV WRYFRDYFPI QLVKTHNLLT TRNYIFGYHP HGIMGLGAFC	
	NFSTEATEVS KKFPGIRPYL ATLAGNFRMP VLREYLMSGG ICPVSRDTID YLLSKNGSGN	
	NFSTEATEVS KKFPGIRPYL ATLAGNFRMP VLREYLMSGG ICPVSRDTID YLLSKNGSGN AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE	
	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE	
	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE GSWGRWVQKK FQKYIGFAPC IFHGRGLFSS DTWGLVPYSK PITTVVGEPI TIPKLEHPTQ	
	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE GSWGRWVQKK FQKYIGFAPC IFHGRGLFSS DTWGLVPYSK PITTVVGEPI TIPKLEHPTQ QDIDLYHTMY MEALVKLFDK HKTKFGLPET EVLEVN	
Characteristics:	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE GSWGRWVQKK FQKYIGFAPC IFHGRGLFSS DTWGLVPYSK PITTVVGEPI TIPKLEHPTQ QDIDLYHTMY MEALVKLFDK HKTKFGLPET EVLEVN Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a	
Characteristics:	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE GSWGRWVQKK FQKYIGFAPC IFHGRGLFSS DTWGLVPYSK PITTVVGEPI TIPKLEHPTQ QDIDLYHTMY MEALVKLFDK HKTKFGLPET EVLEVN Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.	
Characteristics:	AIIIVVGGAA ESLSSMPGKN AVTLRNRKGF VKLALRHGAD LVPIYSFGEN EVYKQVIFEE GSWGRWVQKK FQKYIGFAPC IFHGRGLFSS DTWGLVPYSK PITTVVGEPI TIPKLEHPTQ QDIDLYHTMY MEALVKLFDK HKTKFGLPET EVLEVN Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us. • Made in Germany - from design to production - by highly experienced protein experts. • Human DGAT2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to	

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 um filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	DGAT2
Alternative Name:	DGAT2 (DGAT2 Products)
Background:	Essential acyltransferase that catalyzes the terminal and only committed step in triacylglycerol
	synthesis by using diacylglycerol and fatty acyl CoA as substrates. Required for synthesis and

Target Details

Storage Comment:

Expiry Date:

Store at -80°C.

Unlimited (if stored properly)

Target Details		
	storage of intracellular triglycerides. Probably plays a central role in cytosolic lipid accumulation. In liver, is primarily responsible for incorporating endogenously synthesized fatty acids into triglycerides (By similarity). Functions also as an acyl-CoA retinol acyltransferase (ARAT). {ECO:0000250}.	
Molecular Weight:	32.3 kDa Including tag.	
UniProt:	Q96PD7	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process