antibodies

Datasheet for ABIN3078912 DNAJA1 Protein (AA 1-394) (His tag)



Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | DNAJA1 |
| Protein Characteristics: | AA 1-394 |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This DNAJA1 protein is labelled with His tag. |
| Application: | ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS) |
| Product Details | |
| Sequence: | MVKETTYYDV LGVKPNATQE ELKKAYRKLA LKYHPDKNPN EGEKFKQISQ AYEVLSDAKK |
| | RELYDKGGEQ AIKEGGAGGG FGSPMDIFDM FFGGGGRMQR ERRGKNVVHQ LSVTLEDLYN |
| | GATRKLALQK NVICDKCEGR GGKKGAVECC PNCRGTGMQI RIHQIGPGMV QQIQSVCMEC |

 GATRKLALQK NVICDKCEGR GGKKGAVECC PNCRGTGMQI RIHQIGPGMV QQIQSVCMEC

 QGHGERISPK DRCKSCNGRK IVREKKILEV HIDKGMKDGQ KITFHGEGDQ EPGLEPGDII

 IVLDQKDHAV FTRRGEDLFM CMDIQLVEAL CGFQKPISTL DNRTIVITSH PGQIVKHGDI

 KCVLNEGMPI YRRPYEKGRL IIEFKVNFPE NGFLSPDKLS LLEKLLPERK EVEETDEMDQ

 VELVDFDPNQ ERRRHYNGEA YEDDEHHPRG GVQC

 Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

 Characteristics:
 • Made in Germany - from design to production - by highly experienced protein experts.

 • Human DNAJA1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3078912 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

| | • State-of-the-art algorithm used for plasmid design (Gene synthesis). |
|-------------------|---|
| | This protein is a made to order protein and will be made for the first time for your order. Our |
| | experts in the lab will ensure that you receive a correctly folded protein. |
| | The big advantage of ordering our made-to-order proteins in comparison to ordering custom |
| | made proteins from other companies is that there is no financial obligation in case the protein |
| | cannot be expressed or purified. |
| | In the unlikely event that the protein cannot be expressed or purified we do not charge anything |
| | (other companies might charge you for any performed steps in the expression process for |
| | custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression |
| | experiments or purification optimization). |
| | When you order this made-to-order protein you will only pay upon receival of the correctly |
| | folded protein. With no financial risk on your end you can rest assured that our experienced |
| | protein experts will do everything to make sure that you receive the protein you ordered. |
| | The concentration of our recombinant proteins is measured using the absorbance at 280nm. |
| | The protein's absorbance will be measured in several dilutions and is measured against its |
| | specific reference buffer. |
| | The concentration of the protein is calculated using its specific absorption coefficient. We use |
| | the Expasy's protparam tool to determine the absorption coefficient of each protein. |
| Purification: | Two step purification of proteins expressed in baculovirus infected SF9 insect cells: |
| | 1. In a first purification step, the protein is purified from the cleared cell lysate using three |
| | different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. |
| | 2. Protein containing fractions of the best purification are subjected to second purification step |
| | through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and |
| | Western blot. |
| Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Protein is endotoxin free. |
| Grade: | Crystallography grade |
| Target Details | |
| | DNAJA1 |
| Target: | |
| Alternative Name: | DNAJA1 (DNAJA1 Products) |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3078912 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

| Background: | Co-chaperone for HSPA8/Hsc70 (PubMed:10816573). Stimulates ATP hydrolysis, but not the |
|-----------------------------|--|
| | folding of unfolded proteins mediated by HSPA1A (in vitro) (PubMed:24318877). Plays a role in |
| | protein transport into mitochondria via its role as co-chaperone. Functions as co-chaperone for |
| | HSPA1B and negatively regulates the translocation of BAX from the cytosol to mitochondria in |
| | response to cellular stress, thereby protecting cells against apoptosis (PubMed:14752510). |
| | Promotes apoptosis in response to cellular stress mediated by exposure to anisomycin or UV |
| | (PubMed:24512202). {ECO:0000269 PubMed:10816573, ECO:0000269 PubMed:14752510, |
| | ECO:0000269 PubMed:24318877, ECO:0000269 PubMed:24512202, |
| | EC0:0000269 PubMed:9192730}. |
| Molecular Weight: | 45.5 kDa Including tag. |
| UniProt: | P31689 |
| Pathways: | Intracellular Steroid Hormone Receptor Signaling Pathway |
| Application Details | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies |
| | as well. As the protein has not been tested for functional studies yet we cannot offer a |
| | guarantee though. |
| Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be |
| | insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to |
| | increase solubility. We will discuss all possible options with you in detail to assure that you |
| | receive your protein of interest. |
| Restrictions: | For Research Use only |
| Handling | |
| | |
| Format: | Liquid |
| Format: Buffer: | Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| | |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Buffer: Handling Advice: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. Avoid repeated freeze-thaw cycles. |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN3078912 | 04/30/2024 | Copyright antibodies-online. All rights reserved.