antibodies

Datasheet for ABIN3078948 DNAJC7 Protein (AA 2-494) (His tag)

Image



Overview

Quantity:	1 mg
Target:	DNAJC7
Protein Characteristics:	AA 2-494
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DNAJC7 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence: AAAAECDVVM AATEPELLDD QEAKREAETF KEQGNAYYAK KDYNEAYNYY TKAIDMCPKN ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP		EHKQLLKNAQ LELKKSKRKD YYKILGVDKN ASEDEIKKAY RKRALMHHPD RHSGASAEVQ
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG		KEEEKKEKEV GEAETII SDP KKKTRYDSGO DI DEEGMNMG DEDPNNIEKA EEGGPGGESE
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		KEEEKKFKEV GEAFTILSDP KKKTRYDSGQ DLDEEGMNMG DFDPNNIFKA FFGGPGGFSF
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		KEEEKKEKEV GEAETII SDP KKKTRYDSGO DI DEEGMNMG DEDPNNIEKA EEGGPGGESE
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG		EHKQLLKNAQ LELKKSKRKD YYKILGVDKN ASEDEIKKAY RKRALMHHPD RHSGASAEVQ
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG		ΕΠΚΟΓΙ ΚΝΥΟ Ι ΕΙ ΚΚΘΚΔΚΟ ΧΛΚΙΙ ΟΛΟΚΝΙ ΥΘΕΟΕΙΚΚΥΧ ΔΚΔΥΙ ΜΗΠΟΟ ΔΠΘΟΥΘΥΕΛΟ
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP		TVNSKLRKLD DAIEDCTNAV KLDDTYIKAY LRRAQCYMDT EQYEEAVRDY EKVYQTEKTK
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL KAECLAMLGR YPEAQSVASD ILRMDSTNAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP		
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL		DHEKACIACR NAKALKAKKE DGNKAFKEGN YKLAYELYTE ALGIDPNNIK TNAKLYCNRG
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL		KAECLAMLGR YPEAQSVASD ILRMDS I NAD ALYVRGLCLY YEDCIEKAVQ FFVQALRMAP
ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR		
		ALELDHKNAQ AQQEFKNANA VMEYEKIAET DFEKRDFRKV VFCMDRALEF APACHRFKIL
Sequence: AAAAECDVVM AATEPELLDD QEAKREAETF KEQGNAYYAK KDYNEAYNYY TKAIDMCPKN		ASYYGNRAAT LMMLGRFREA LGDAQQSVRL DDSFVRGHLR EGKCHLSLGN AMAACRSFQR
	ocquence.	
	Sequence.	ΔΔΔΔΕΩΟΛΛΜ ΔΔΤΕΡΕΙ Ι DD ΟΕΔΚΒΕΔΕΤΕ ΚΕΟΩΝΔΥΥΔΚ ΚΟΥΝΕΔΥΝΥΥ ΤΚΑΙΟΜΩΡΚΝ

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3078948 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details	
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human DNAJC7 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3078948 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details

Target:	DNAJC7
Alternative Name:	DNAJC7 (DNAJC7 Products)
Background:	Acts as co-chaperone regulating the molecular chaperones HSP70 and HSP90 in folding of steroid receptors, such as the glucocorticoid receptor and the progesterone receptor. Proposed to act as a recycling chaperone by facilitating the return of chaperone substrates to early stages of chaperoning if further folding is required. In vitro, induces ATP-independent dissociation of HSP90 but not of HSP70 from the chaperone-substrate complexes. Recruits NR1I3 to the cytoplasm (By similarity). {EC0:0000250, EC0:0000269 PubMed:12853476, EC0:0000269 PubMed:18620420}.
Molecular Weight:	57.3 kDa Including tag.
UniProt:	Q99615
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

	guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.

For Research Use only

Handling

Restrictions:

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3078948 | 09/11/2023 | Copyright antibodies-online. All rights reserved.



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3078948 | 09/11/2023 | Copyright antibodies-online. All rights reserved.