# antibodies .- online.com





## Desmocollin 3 Protein (DSC3) (AA 712-896) (His tag)





Publication



Go to Product page

#### Overview

Quantity:	1 mg
Target:	Desmocollin 3 (DSC3)
Protein Characteristics:	AA 712-896
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Desmocollin 3 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
Product Details	
Sequence:	MCGVFGATKG KRFPEDLAQQ NLIISNTEAP GDDRVCSANG FMTQTTNNSS QGFCGTMGSG M
	KNGGQETIEM MKGGNQTLES CRGAGHHHTL DSCRGGHTEV DNCRYTYSEW HSFTQPRLGE
	KLHRCNQNED RMPSQDYVLT YNYEGRGSPA GSVGCCSEKQ EEDGLDFLNN LEPKFITLAE
	ACTKRHHHHH H
	Sequence includes C-terminal His-tag
Characteristics:	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Human PLP1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li> </ul>
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its

specific reference buffer.

#### **Product Details**

Troduct Details	
	The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	The protein is purified from the cleared cell lysate using His-tag capture materials. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions are subjected to a second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	Desmocollin 3 (DSC3)
Alternative Name:	DSC3 (DSC3 Products)
Background:	Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion. May contribute to epidermal cell positioning (stratification) by mediating differential adhesiveness between cells that express different isoforms.
Molecular Weight:	21.3 kDa Including tag
UniProt:	Q14574
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

#### Handling


Format:	Liquid
Buffer:	In solution (20 mM Hepes, pH 7.4, 100 mM NaCl,)
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

#### **Publications**


Product cited in:

Chernyavsky, Amber, Agnoletti, Wang, Grando: "Synergy among non-desmoglein antibodies contributes to the immunopathology of desmoglein antibody-negative pemphigus vulgaris." in: **The Journal of biological chemistry**, Vol. 294, Issue 12, pp. 4520-4528, (2019) (PubMed).


### **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process



<u>Desmocolin</u> 3 (AA 712 - 896), gel filtration <u>Superdex</u> 200, fraction 11 - 12



Desmocolin 3 (AA 712 - 896), fraction 11 - 12

#### Image 2.

Image 3.