

Datasheet for ABIN3079094

Desmoglein 3 Protein (DSG3) (AA 50-615) (His tag)





\sim	
()\/Pr	view
OVCI	VICVV

Quantity:	1 mg
Target:	Desmoglein 3 (DSG3)
Protein Characteristics:	AA 50-615
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Desmoglein 3 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Specificity:

Product Details	
Sequence:	MEWVKFAKPC REGEDNSKRN PIAKITSDYQ ATQKITYRIS GVGIDQPPFG IFVVDKNTGD
	INITAIVDRE ETPSFLITCR ALNAQGLDVE KPLILTVKIL DINDNPPVFS QQIFMGEIEE NSASNSLVMI
	LNATDADEPN HLNSKIAFKI VSQEPAGTPM FLLSRNTGEV RTLTNSLDRE QASSYRLVVS
	GADKDGEGLS TQCECNIKVK DVNDNFPMFR DSQYSARIEE NILSSELLRF QVTDLDEEYT
	DNWLAVYFFT SGNEGNWFEI QTDPRTNEGI LKVVKALDYE QLQSVKLSIA VKNKAEFHQS
	VISRYRVQST PVTIQVINVR EGIAFRPASK TFTVQKGISS KKLVDYILGT YQAIDEDTNK
	AASNVKYVMG RNDGGYLMID SKTAEIKFVK NMNRDSTFIV NKTITAEVLA IDEYTGKTST
	GTVYVRVPDF NDNCPTAVLE KDAVCSSSPS VVVSARTLNN RYTGPYTFAL EDQPVKLPAV
	WSITTLNATS ALLRAQEQIP PGVYHISLVL TDSQNNRCEM PRSLTLEVCQ CDNRGICGTS
	YPTTSPGTRY GRPHSGRHHH HHH

C-terminal His-tag

Product Details

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human DSG3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This made-to-order protein has already been successfully produced. Please let us know if you are interested in purchasing a smaller amount of this protein. We will check our stock and make you a customized quote in case we can provide this protein in a smaller amount..

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	Desmoglein 3 (DSG3)
Alternative Name:	DSG3 (DSG3 Products)
Background:	Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion.
Molecular Weight:	63.9 kDa Including tag.

Target Details

UniProt:	P32926
----------	--------

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.

Comment:

In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.


Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	20 mM Hepes, pH 7.5; 150 mM NaCl; 1mM EDTA
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



[Desmoglein 3]|[DSG3]| [AA 50-615], After Dialysis

Western Blotting

Image 1.