



[Go to Product page](#)

Datasheet for ABIN3079162

## Desmoglein 1 Protein (DSG1) (AA 50-548) (His tag)

### 4 Images

#### Overview

Quantity:	1 mg
Target:	Desmoglein 1 (DSG1)
Protein Characteristics:	AA 50-548
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Desmoglein 1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

#### Product Details

Sequence:	MEWIKFAAAC REGEDNSKRN PIAKIHSDCA ANQQVTYRIS GVGIDQPPYG IFVINQKTGE INITSIVDRE VTPFFIIYCR ALNSMGQDLE RPLELRVRVL DINDNPPVFS MATFAGQIEE NSNANTLVMI LNATDADEPN NLNSKIAFKI IRQEPSDSPM FIINRNTGEI RTMNNFLDRE QYGQYALAVR GSRRDGGADG MSAECECNK ILDVNDNIPY MEQSSYTIEI QENTLNSNLL EIRVIDLDEE FSANWMAVIF FISGNEGNWF EIEMNERTNV GILKVVKPLD YEAMQSLQLS IGVRNKAEFH HSIMSQYKLL ASAISVTVLN VIEGPVFRPG SKTYVVTGNM GSNDKVGDFV ATDLDTGRPS TTVRYVMGNN PADLLAVDSR TGKLT LKNKV TKEQYNMLGG KYQG TILSID DNLQRTCTGT ININIQSFGN DDRNTNTEPNT KITNTNTGRQE STSSTNYDTS TTSTDSSQVY SSEPGNGAKD LLSDNVHFGP HHHHHH
-----------	---

Specificity:	C-terminal His-tag
--------------	--------------------

Characteristics:	<ul style="list-style-type: none"><li>Made in Germany - from design to production - by highly experienced protein experts.</li></ul>
------------------	--

## Product Details

---

- Human DSG1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This made-to-order protein has already been successfully produced. Please let us know if you are interested in purchasing a smaller amount of this protein. We will check our stock and make you a customized quote in case we can provide this protein in a smaller amount..

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

---

Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

## Target Details

---

Target:	Desmoglein 1 (DSG1)
Alternative Name:	DSG1 ( <a href="#">DSG1 Products</a> )
Background:	Component of intercellular desmosome junctions. Involved in the interaction of plaque proteins and intermediate filaments mediating cell-cell adhesion.
Molecular Weight:	56.3 kDa Including tag.
UniProt:	<a href="#">Q02413</a>

## Target Details

Pathways: [Cell-Cell Junction Organization](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: C-terminal His-tag

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: 20 mM Hepes, pH 7.5; 150 mM NaCl; 2% Lauroylsarcosine; 1mM EDTA; 1mM DTT


Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)


## Images



Desmoglein (DSG1) (AA 50-548),  
gel filtration, fraction 12 - 13

### Western Blotting


**Image 1.** Quality Control Images: Western Blotting + SDS-PAGE



Desmoalein (DSG1) (AA 50-548), gel filtration, Superose 6, fraction 12 - 13

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 2. Gel filtration



[Desmoglein][DSG1]  
[AA 50-548], Gel filtration,  
[Superose 6 10/300GL]  
[B7,B6,B5,B4,B3,B2,B1,C1,C2]

Size-exclusion chromatography-High Pressure Liquid Chromatography

Image 3.

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN3079162.