antibodies

Datasheet for ABIN3079955 Ficolin 2 Protein (AA 26-313) (His tag)



Overview

| Quantity:1 mgTarget:Ficolin 2 (FCN2)Protein Characteristics:AA 26-313Origin:HumanSource:Insect CellsProtein Type:RecombinantProtein Type:RecombinantPurification tag / Conjugate:This Ficolin 2 protein is labelled with His tag.Application:Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)Product DetailsSequence:LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PGFPPGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFEP KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If special request, please contact us. | |
|---|------------|
| Protein Characteristics: AA 26-313 Origin: Human Source: Insect Cells Protein Type: Recombinant Purification tag / Conjugate: This Ficolin 2 protein is labelled with His tag. Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) Product Details Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDG QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Origin: Human Source: Insect Cells Protein Type: Recombinant Purification tag / Conjugate: This Ficolin 2 protein is labelled with His tag. Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) Product Details Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDG QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Source:Insect CellsProtein Type:RecombinantPurification tag / Conjugate:This Ficolin 2 protein is labelled with His tag.Application:Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)Product DetailsSequence:Sequence:LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. Here | |
| Protein Type: Recombinant Purification tag / Conjugate: This Ficolin 2 protein is labelled with His tag. Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) Product Details Image: Conjugate: Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Purification tag / Conjugate: This Ficolin 2 protein is labelled with His tag. Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) Product Details Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Application: Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) Product Details Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Product Details Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDC QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| Sequence: LQAADTCPEV KMVGLEGSDK LTILRGCPGL PGAPGPKGEA GTNGKRGERG PPGF PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDO QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| PGPNGAPGEP QPCLTGPRTC KDLLDRGHFL SGWHTIYLPD CRPLTVLCDM DTDO QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | |
| QRRVDGSVDF YRDWATYKQG FGSRLGEFWL GNDNIHALTA QGTSELRVDL VDFE KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | PGKAGP |
| KYRSFKVADE AEKYNLVLGA FVEGSAGDSL TFHNNQSFST KDQDNDLNTG NCAV WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | GGWTVF |
| WYKNCHVSNL NGRYLRGTHG SFANGINWKS GKGYNYSYKV SEMKVRPA Sequence without tag. Tag location is at the discretion of the manufacturer. If | DNYQFA |
| Sequence without tag. Tag location is at the discretion of the manufacturer. If | MFQGAW |
| | |
| special request, please contact us. | you have a |
| | |
| Characteristics: • Made in Germany - from design to production - by highly experienced protein | |
| Human FCN2 Protein (raised in Insect Cells) purified by multi-step, protein-special contents of the second se | experts. |
| to ensure crystallization grade. | - |
| • State-of-the-art algorithm used for plasmid design (Gene synthesis). | - |
| This protein is a made to order protein and will be made for the first time for you | - |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3079955 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

| 1 Toddot Botano | |
|------------------|--|
| | experts in the lab will ensure that you receive a correctly folded protein. |
| | The big advantage of ordering our made-to-order proteins in comparison to ordering custom |
| | made proteins from other companies is that there is no financial obligation in case the protein |
| | cannot be expressed or purified. |
| | In the unlikely event that the protein cannot be expressed or purified we do not charge anything |
| | (other companies might charge you for any performed steps in the expression process for |
| | custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression |
| | experiments or purification optimization). |
| | When you order this made-to-order protein you will only pay upon receival of the correctly |
| | folded protein. With no financial risk on your end you can rest assured that our experienced |
| | protein experts will do everything to make sure that you receive the protein you ordered. |
| | The concentration of our recombinant proteins is measured using the absorbance at 280nm. |
| | The protein's absorbance will be measured in several dilutions and is measured against its |
| | specific reference buffer. |
| | The concentration of the protein is calculated using its specific absorption coefficient. We use |
| | the Expasy's protparam tool to determine the absorption coefficient of each protein. |
| Purification: | Two step purification of proteins expressed in baculovirus infected SF9 insect cells: |
| | In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. |
| | Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. |
| Purity: | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Sterility: | 0.22 µm filtered |
| Endotoxin Level: | Protein is endotoxin free. |
| Grade: | Crystallography grade |
| Target Details | |
| Taraati | Eicolin 2 (ECN2) |

| Target: | Ficolin 2 (FCN2) |
|-------------------|--|
| Alternative Name: | FCN2 (FCN2 Products) |
| Background: | May function in innate immunity through activation of the lectin complement pathway. Calcium-dependent and GlcNAc-binding lectin. Enhances phagocytosis of S.typhimurium by |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3079955 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

| Target Details | |
|---------------------|--|
| | neutrophils, suggesting an opsonic effect via the collagen region. {ECO:0000269 PubMed:10679061, ECO:0000269 PubMed:17215869}. |
| Molecular Weight: | 32.4 kDa Including tag. |
| UniProt: | Q15485 |
| Pathways: | Complement System |
| Application Details | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |