antibodies -online.com





Glutaredoxin 2 Protein (GRX2) (AA 20-164) (His tag)



Image



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Overview			
Quantity:	1 mg		
Target:	Glutaredoxin 2 (GRX2)		
Protein Characteristics:	AA 20-164		
Origin:	Human		
Source:	Escherichia coli (E. coli)		
Protein Type:	Recombinant		
Purification tag / Conjugate:	This Glutaredoxin 2 protein is labelled with His tag.		
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys)		
Product Details			
Sequence:	SAGWLDRAAG AAGAAAAAS GMESNTSSSL ENLATAPVNQ IQETISDNCV VIFSKTSCSY		
	CTMAKKLFHD MNVNYKVVEL DLLEYGNQFQ DALYKMTGER TVPRIFVNGT FIGGATDTHR		
	LHKEGKLLPL VHQCYLKKSK RKEFQ		
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a		
	special request, please contact us.		
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. 		
	 Human GLRX2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. 		
	State-of-the-art algorithm used for plasmid design (Gene synthesis).		
	This protein is a made to order protein and will be made for the first time for your order. Our		
	experts in the lab will ensure that you receive a correctly folded protein.		

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

Target Details

Target:	Glutaredoxin 2 (GRX2)	
Alternative Name:	GLRX2 (GRX2 Products)	
Background:	Glutathione-dependent oxidoreductase that facilitates the maintenance of mitochondrial redox	
	homeostasis upon induction of apoptosis by oxidative stress. Involved in response to hydrogen	
	peroxide and regulation of apoptosis caused by oxidative stress. Acts as a very efficient	
	catalyst of monothiol reactions because of its high affinity for protein glutathione-mixed	

Expiry Date:

raiget Details	
	disulfides. Can receive electrons not only from glutathione (GSH), but also from thioredoxin
	reductase supporting both monothiol and dithiol reactions. Efficiently catalyzes both glutathionylation and deglutathionylation of mitochondrial complex I, which in turn regulates
	the superoxide production by the complex. Overexpression decreases the susceptibility to
	apoptosis and prevents loss of cardiolipin and cytochrome c release.
	{ECO:0000269 PubMed:11297543, ECO:0000269 PubMed:14676218,
	ECO:0000269 PubMed:15328416, ECO:0000269 PubMed:15649413}.
Molecular Weight:	16.8 kDa Including tag.
UniProt:	Q9NS18
Pathways:	Cell RedoxHomeostasis
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process