antibodies -online.com





Haptoglobin Protein (HP) (AA 19-160) (His tag)



Image



Go to Product page

\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	1 mg
Target:	Haptoglobin (HP)
Protein Characteristics:	AA 19-160
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Haptoglobin protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)
Product Details	
Sequence:	VDSGNDVTDI ADDGCPKPPE IAHGYVEHSV RYQCKNYYKL RTEGDGVYTL NDKKQWINKA
	VGDKLPECEA DDGCPKPPEI AHGYVEHSVR YQCKNYYKLR TEGDGVYTLN NEKQWINKAV
	GDKLPECEAV CGKPKNPANP VQ
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human HP Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
	 State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	Haptoglobin (HP)
Alternative Name:	HP (HP Products)
Background:	As a result of hemolysis, hemoglobin is found to accumulate in the kidney and is secreted in the urine. Haptoglobin captures, and combines with free plasma hemoglobin to allow hepatic
	recycling of heme iron and to prevent kidney damage. Haptoglobin also acts as an
	Antimicrobial, Antioxidant, has antibacterial activity and plays a role in modulating many

	aspects of the acute phase response. Hemoglobin/haptoglobin complexes are rapidely cleared	
	by the macrophage CD163 scavenger receptor expressed on the surface of liver Kupfer cells	
	through an endocytic lysosomal degradation pathway. {ECO:0000269 PubMed:21248165}.,	
	Uncleaved haptoglogin, also known as zonulin, plays a role in intestinal permeability, allowing	
	intercellular tight junction disassembly, and controlling the equilibrium between tolerance and	
	immunity to non-self antigens. {ECO:0000269 PubMed:21248165}.	
Molecular Weight:	16.9 kDa Including tag.	
UniProt:	P00738	
Pathways:	Transition Metal Ion Homeostasis	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a	
	guarantee though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process