# antibodies -online.com





### IFIT5 Protein (AA 1-482) (Strep Tag)



**Image** 



#### Go to Product page

#### Overview

Quantity:	1 mg
Target:	IFIT5
Protein Characteristics:	AA 1-482
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IFIT5 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

#### **Product Details**

Sequence:

MSEIRKDTLK AILLELECHF TWNLLKEDID LFEVEDTIGQ QLEFLTTKSR LALYNLLAYV
KHLKGQNKDA LECLEQAEEI IQQEHSDKEE VRSLVTWGNY AWVYYHMDQL EEAQKYTGKI
GNVCKKLSSP SNYKLECPET DCEKGWALLK FGGKYYQKAK AAFEKALEVE PDNPEFNIGY
AITVYRLDDS DREGSVKSFS LGPLRKAVTL NPDNSYIKVF LALKLQDVHA EAEGEKYIEE
ILDQISSQPY VLRYAAKFYR RKNSWNKALE LLKKALEVTP TSSFLHHQMG LCYRAQMIQI
KKATHNRPKG KDKLKVDELI SSAIFHFKAA MERDSMFAFA YTDLANMYAE GGQYSNAEDI
FRKALRLENI TDDHKHQIHY HYGRFQEFHR KSENTAIHHY LEALKVKDRS PLRTKLTSAL
KKLSTKRLCH NALDVQSLSA LGFVYKLEGE KRQAAEYYEK AQKIDPENAE FLTALCELRL SI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

## **Product Details** >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity: Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) Grade: Crystallography grade **Target Details** IFIT5 Target: Alternative Name: IFIT5 (IFIT5 Products) Background: Interferon-induced protein with tetratricopeptide repeats 5 (IFIT-5) (Interferon-induced 58 kDa protein) (Retinoic acid- and interferon-inducible 58 kDa protein) (P58),FUNCTION: Interferoninduced RNA-binding protein involved in the human innate immune response. Has a broad and adaptable RNA structure recognition important for RNA recognition specificity in antiviral defense. Binds precursor and processed tRNAs as well as poly-U-tailed tRNA fragments (PubMed:25092312, PubMed:23317505, PubMed:23774268). Specifically binds single-stranded RNA bearing a 5'-triphosphate group (PPP-RNA), thereby acting as a sensor of viral singlestranded RNAs. Single-stranded PPP-RNAs, which lack 2'-O-methylation of the 5' cap and bear a 5'-triphosphate group instead, are specific from viruses, providing a molecular signature to distinguish between self and non-self mRNAs by the host during viral infection. Directly binds PPP-RNA in a non-sequence-specific manner (PubMed:23334420). Also recognizes and selectively binds AT-rich dsDNA (PubMed:23774268). Additionally, as a mediator in innate immunity, positively regulates IKK-NFKB signaling by sinergizing the recruitment of IKK to MAP3K7 (PubMed:26334375). {ECO:0000269|PubMed:23317505, ECO:0000269|PubMed:23334420, ECO:0000269|PubMed:23774268, ECO:0000269|PubMed:25092312, ECO:0000269|PubMed:26334375}. 55.8 kDa Molecular Weight: UniProt: Q13325 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies

# Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3081697 | 04/16/2024 | Copyright antibodies-online. All rights reserved.

guarantee though.

Comment:

as well. As the protein has not been tested for functional studies yet we cannot offer a

ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!


Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

#### **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process