antibodies

Datasheet for ABIN3081825 IGF2 Protein (AA 26-91) (His tag)



Overview	
Quantity:	1 mg
Target:	IGF2
Protein Characteristics:	AA 26-91
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IGF2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
Product Details	
Sequence:	YRPSETLCGG ELVDTLQFVC GDRGFYFSRP ASRVSRRSRG IVEECCFRSC DLALLETYCA TPAKSE
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human IGF2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3081825 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three
Purification:	
Purification:	1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
Purification:	1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
Purification:	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step
Purification: Purity:	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Target Details

Target:	IGF2
Alternative Name:	IGF2 (IGF2 Products)
Background:	The insulin-like growth factors possess growth-promoting activity. In vitro, they are potent
	mitogens for cultured cells. IGF-II is influenced by placental lactogen and may play a role in fetal
	development., Preptin undergoes glucose-mediated co-secretion with insulin, and acts as
	physiological amplifier of glucose-mediated insulin secretion. Exhibits osteogenic properties by
	increasing osteoblast mitogenic activity through phosphoactivation of MAPK1 and MAPK3.
Molecular Weight:	8.4 kDa Including tag.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3081825 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Target Details		
UniProt:	P01344	
Pathways:	Hormone Activity, Regulation of Hormone Metabolic Process, Regulation of Hormone Biosynthetic Process, Regulation of Carbohydrate Metabolic Process, Activated T Cell Proliferation	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	
Expiry Date:	Unlimited (if stored properly)	