.-online.com antibodies

Datasheet for ABIN308216 anti-Nitrotyrosine antibody

Image



Overview

Quantity:	100 µg
Target:	Nitrotyrosine
Reactivity:	Please inquire
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This Nitrotyrosine antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunoprecipitation (IP)

Product Details

Immunogen:	ELISA,WB,IP
Clone:	6B2
Isotype:	lgG1
Specificity:	For research use only.
Purification:	Purified IgG by Affinity chromatography on Protein A

Target Details

Target:	Nitrotyrosine
Alternative Name:	Nitro Tyrosine (Nitrotyrosine Products)
Target Type:	Chemical
Background:	Tyrosine nitration is a posttranslational modification generated by a nitrogen free radical

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN308216 | 09/12/2023 | Copyright antibodies-online. All rights reserved. (peroxinitrite ONOO-). This reactive nitrogen specie reacts with macromolecules of the organism (amino acid, protein?) and leads to functional alterations which can either participate to adaptation or lead to cell death during cell-stress conditions

Application Details

Application Notes:	Recommended concentrations: indirect ELISA: 2 to 100ng/ml; IP: 1 μ g/ml; western blot: 0.1 μ g/ml. Optimal dilutions/concentrations should be determined by the end user.
Comment:	For research use only.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 mg/ml
Buffer:	Phosphate Buffered Saline 10 mM – NaCl 0,15 M – pH 7,4. Thiemrosol 0,01 % is used as preservative.
Storage:	-20 °C

Images

1 2 3 75 kD -50 -37 -25 -20 -

Western Blotting

Image 1. Purity control (SDS PAGE): Polyacrylamide gel 13,5 % under denaturated conditions. Staining: Coomassie Blue. Lane 1: Molecular Weight markers. Lane 2: IgG Isotype Control. Lane 3: ABIN308216 (1ug).