antibodies

Datasheet for ABIN3082424 KCNK4 Protein (AA 261-393) (His tag)

Image



Overview

0.00.000	
Quantity:	1 mg
Target:	KCNK4
Protein Characteristics:	AA 261-393
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KCNK4 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA
Product Details	
Sequence:	SRRTRAEMGG LTAQAASWTG TVTARVTQRA GPAAPPPEKE QPLLPPPPCP AQPLGRPRSP
	SPPEKAQPPS PPTASALDYP SENLAFIDES SDTQSERGCP LPRAPRGRRR PNPPRKPVRP
	RGPGRPRDKG VPV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Human KCNK4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process
	to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our

experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3082424 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	KCNK4
Alternative Name:	KCNK4 (KCNK4 Products)
Background:	Voltage-insensitive potassium channel (PubMed:22282805). Channel opening is triggered by
	mechanical forces that deform the membrane (PubMed:22282805, PubMed:25471887,
	PubMed:25500157). Channel opening is triggered by raising the intracellular pH to basic levels
	(By similarity). The channel is inactive at 24 degrees Celsius (in vitro), raising the temperature to

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3082424 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	37 degrees Celsius increases the frequency of channel opening, with a further increase in
	channel activity when the temperature is raised to 42 degrees Celsius (By similarity). Plays a
	role in the perception of pain caused by heat (By similarity). Plays a role in the sensory
	perception of pain caused by pressure (By similarity). {ECO:0000250 UniProtKB:G3V8V5,
	ECO:0000250 UniProtKB:088454, ECO:0000269 PubMed:22282805,
	EC0:0000269 PubMed:25471887, EC0:0000269 PubMed:25500157}.
Molecular Weight:	15.1 kDa Including tag.
JniProt:	Q9NYG8
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3082424 | 09/11/2023 | Copyright antibodies-online. All rights reserved.