antibodies .- online.com





KCTD3 Protein (AA 1-815) (Strep Tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	KCTD3
Protein Characteristics:	AA 1-815
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This KCTD3 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAGGHCGSFP AAAAGSGEIV QLNVGGTRFS TSRQTLMWIP DSFFSSLLSG RISTLRDETG
AIFIDRDPAA FAPILNFLRT KELDLRGVSI NVLRHEAEFY GITPLVRRLL LCEELERSSC
GSVLFHGYLP PPGIPSRKIN NTVRSADSRN GLNSTEGEAR GNGTQPVLSG TGEETVRLGF
PVDPRKVLIV AGHHNWIVAA YAHFAVCYRI KESSGWQQVF TSPYLDWTIE RVALNAKVVG
GPHGDKDKMV AVASESSIIL WSVQDGGSGS EIGVFSLGVP VDALFFIGNQ LVATSHTGKV
GVWNAVTQHW QVQDVVPITS YDTAGSFLLL GCNNGSIYYI DMQKFPLRMK DNDLLVTELY
HDPSNDAITA LSVYLTPKTS VSGNWIEIAY GTSSGAVRVI VQHPETVGSG PQLFQTFTVH
RSPVTKIMLS EKHLVSVCAD NNHVRTWTVT RFRGMISTQP GSTPLASFKI LSLEETESHG
SYSSGNDIGP FGERDDQQVF IQKVVPITNK LFVRLSSTGK RICEIQAVDC TTISSFTVRE
CEGSSRMGSR PRRYLFTGHT NGSIQMWDLT TAMDMVNKSE DKDVGGPTEE ELLKLLDQCD
LSTSRCATPN ISPATSVVQH SHLRESNSSL QLQHHDTTHE AATYGSMRPY RESPLLARAR
RTESFHSYRD FQTINLNRNV ERAVPENGNL GPIQAEVKGA TGECNISERK SPGVEIKSLR

ELDSGLEVHK IAEGFSESKK RSSEDENENK IEFRKKGGFE GGGFLGRKKV PYLASSPSTS DGGTDSPGTA SPSPTKTTPS PRHKKSDSSG QEYSL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- · The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System
	 (ALiCE®): In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade
Target Details	
Target:	KCTD3
Alternative Name:	KCTD3 (KCTD3 Products)
Background:	BTB/POZ domain-containing protein KCTD3 (Renal carcinoma antigen NY-REN-45),FUNCTION: Accessory subunit of potassium/sodium hyperpolarization-activated cyclic nucleotide-gated channel 3 (HCN3) up-regulating its cell-surface expression and current density without affecting its voltage dependence and kinetics. {ECO:0000250 UniProtKB:Q8BFX3}.
Molecular Weight:	89.0 kDa
UniProt:	Q9Y597
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional

Application Details

components needed for protein production (amino acids, cofactors, etc.) are added to produce
something that functions like a cell, but without the constraints of a living system - all that's
needed is the DNA that codes for the desired protein!
For Research Use only

Handling

Restrictions:

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process