

Datasheet for ABIN3082888

LIPC Protein (AA 23-499) (His tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	LIPC
Protein Characteristics:	AA 23-499
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This LIPC protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

LGQSLKPEPF GRRAQAVETN KTLHEMKTRF LLFGETNQGC QIRINHPDTL QECGFNSSLP
LVMIIHGWSV DGVLENWIWQ MVAALKSQPA QPVNVGLVDW ITLAHDHYTI AVRNTRLVGK
EVAALLRWLE ESVQLSRSHV HLIGYSLGAH VSGFAGSSIG GTHKIGRITG LDAAGPLFEG
SAPSNRLSPD DANFVDAIHT FTREHMGLSV GIKQPIGHYD FYPNGGSFQP GCHFLELYRH
IAQHGFNAIT QTIKCSHERS VHLFIDSLLH AGTQSMAYPC GDMNSFSQGL CLSCKKGRCN
TLGYHVRQEP RSKSKRLFLV TRAQSPFKVY HYQFKIQFIN QTETPIQTTF TMSLLGTKEK
MQKIPITLGK GIASNKTYSF LITLDVDIGE LIMIKFKWEN SAVWANVWDT VQTIIPWSTG
PRHSGLVLKT IRVKAGETQQ RMTFCSENTD DLLLRPTQEK IFVKCEIKSK TSKRKIR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human LIPC Protein (raised in Insect Cells) purified by multi-step, protein-specific process to

ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target: LIPC

Alternative Name:

LIPC (LIPC Products)

Target Details

Expiry Date:

patic lipase has the capacity to catalyze hydrolysis of phospholipids, mono-, di-, and lycerides, and acyl-CoA thioesters. It is an important enzyme in HDL metabolism. Hepatic use binds heparin.
5 kDa Including tag.
1150
d Metabolism
addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a grantee though.
cases in which it is highly likely that the recombinant protein with the default tag will be coluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to rease solubility. We will discuss all possible options with you in detail to assure that you eive your protein of interest.
Research Use only
uid
mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
oid repeated freeze-thaw cycles.
°C
re at -80°C.

Unlimited (if stored properly)