antibodies.com

Datasheet for ABIN3083603 MGAT3 Protein (AA 24-533) (His tag)



Overview

Quantity:	1 mg
Target:	MGAT3
Protein Characteristics:	AA 24-533
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MGAT3 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

Product Details

Sequence:	HFFKTLSYVT FPRELASLSP NLVSSFFWNN APVTPQASPE PGGPDLLRTP LYSHSPLLQP
	LPPSKAAEEL HRVDLVLPED TTEYFVRTKA GGVCFKPGTK MLERPPPGRP EEKPEGANGS
	SARRPPRYLL SARERTGGRG ARRKWVECVC LPGWHGPSCG VPTVVQYSNL PTKERLVPRE
	VPRRVINAIN VNHEFDLLDV RFHELGDVVD AFVVCESNFT AYGEPRPLKF REMLTNGTFE
	YIRHKVLYVF LDHFPPGGRQ DGWIADDYLR TFLTQDGVSR LRNLRPDDVF IIDDADEIPA
	RDGVLFLKLY DGWTEPFAFH MRKSLYGFFW KQPGTLEVVS GCTVDMLQAV YGLDGIRLRR
	RQYYTMPNFR QYENRTGHIL VQWSLGSPLH FAGWHCSWCF TPEGIYFKLV SAQNGDFPRW
	GDYEDKRDLN YIRGLIRTGG WFDGTQQEYP PADPSEHMYA PKYLLKNYDR FHYLLDNPYQ
	EPRSTAAGGW RHRGPEGRPP ARGKLDEAEV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3083603 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Product Details	
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human MGAT3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3083603 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Target Details

Handling Advice:

Storage Comment:

Storage:

Expiry Date:

oligosaccharides. Catalyzes the addition of N-acetylglucosamine in beta 1-4 linkage to linked mannose of the trimannosyl core of N-linked sugar chains. It is one of the most important enzymes involved in the regulation of the biosynthesis of glycoprotein oligosaccharides. Molecular Weight: 59.5 kDa Including tag. UniProt: Q09327 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functionaria as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wit insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insolubel our protein of interest. Restrictions: For Research Use only Handling Liquid	raiget Detaile	
Background: It is involved in the regulation of the biosynthesis and biological function of glycoprote Background: It is involved in the regulation of N-acetylglucosamine in beta 1-4 linkage to linked mannose of the trimannosyl core of N-linked sugar chains. It is one of the most important enzymes involved in the regulation of the biosynthesis of glycoprotein oligosaccharides. S9.5 kDa Including tag. Important enzymes involved in the regulation of the biosynthesis of glycoprotein UniProt: Q09327 Application Details In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wi insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insoluble our protein of interest. Restrictions: For Research Use only Handling Format: Liquid Liquid	Target:	MGAT3
oligosaccharides. Catalyzes the addition of N-acetylglucosamine in beta 1-4 linkage to linked mannose of the trimannosyl core of N-linked sugar chains. It is one of the most important enzymes involved in the regulation of the biosynthesis of glycoprotein oligosaccharides. Molecular Weight: 59.5 kDa Including tag. UniProt: Q09327 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wi insoluble our protein lab may suggest al higher molecular weight tag (e.g. GST-tag) insoluble our protein of interest. Restrictions: For Research Use only Handling Liquid	Alternative Name:	MGAT3 (MGAT3 Products)
UniProt: Q09327 Application Details In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Background:	
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wi insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Liquid	Molecular Weight:	59.5 kDa Including tag.
Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wi insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insincrease solubility. We will discuss all possible options with you in detail to assure tha receive your protein of interest. Restrictions: For Research Use only Handling Liquid	UniProt:	Q09327
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag wi insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insoluble our protein of interest. Restrictions: For Research Use only Handling Liquid	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) ins increase solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Handling Format: Liquid	Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Format: Liquid	Restrictions:	For Research Use only
	Handling	
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manuf	Format:	Liquid
	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Avoid repeated freeze-thaw cycles.

Unlimited (if stored properly)

-80 °C

Store at -80°C.