

Datasheet for ABIN3084090

NAB2 Protein (AA 1-525) (Strep Tag)



_					
	W	0	rv	10	W

Quantity:	250 μg
Target:	NAB2
Protein Characteristics:	AA 1-525
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NAB2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

	CVPAKPPLAE FEEGLLDRCP APGPHPALVE GRRSSVKVEA EASRQ Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	DGHLQAVGSC PRLTPPPADL PLALPAHGLW SRHILQQTLM DEGLRLARLV SHDRVGRLSP
	KGSRLHPEEL GGPPLKKLKQ EVGEQSHPEI QQPPPGPESY VPPYRPSLEE DSASLSGESL
	IYGRFDSKRR EGKQLSLHEL TINEAAAQFC MRDNTLLLRR VELFSLSRQV ARESTYLSSL
	MVRMVVESVE RIFRSFPRGD AGEVTSLLKL NKKLARSVGH IFEMDDNDSQ KEEEIRKYSI
	DPRIWPGRST PESDVGAGGE EEAGSPPFSP PAGGGVPEGT GAGGLAAGGT GGGPDRLEPE
	PVSSIPLFKI SETAGTRKGS MSNGHGSPGE KAGSARSFSP KSPLELGEKL SPLPGGPGAG
	FIQQGGDDVQ QLCEAGEEEF LEIMALVGMA TKPLHVRRLQ KALREWATNP GLFSQPVPAV
Sequence:	MHRAPSPTAE QPPGGGDSAR RTLQPRLKPS ARAMALPRTL GELQLYRVLQ RANLLSYYET
Brand:	AliCE®
Product Details	NIOTA

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

raiget Details			
Target:	NAB2		
Alternative Name:	NAB2 (NAB2 Products)		
Background:	NGFI-A-binding protein 2 (EGR-1-binding protein 2) (Melanoma-associated delayed early response protein) (Protein MADER),FUNCTION: Acts as a transcriptional repressor for zinc finger transcription factors EGR1 and EGR2. Isoform 2 lacks repression ability (By similarity). {ECO:0000250}.		
Molecular Weight:	56.6 kDa		
UniProt:	Q15742		
Application Details			
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.		
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!		
Restrictions:	For Research Use only		
Handling			
Format:	Liquid		
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.		
Handling Advice:	Avoid repeated freeze-thaw cycles.		
Storage:	-80 °C		

Handling

Storage Comment:	Store at -80°C.
Expiry Date:	12 months