

Datasheet for ABIN3084663

**NMNAT3 Protein (AA 1-252) (Strep Tag)**[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	NMNAT3
Protein Characteristics:	AA 1-252
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NMNAT3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

Sequence:	MKSRIPVLL ACGSFNPITN MHLRMFEVAR DHLHQTGMVYQ VIQGIISPVN DTYGKKDLAA SHHRVAMARL ALQTSWIRV DPWESEQAQW METVKVLRHH HSKLLRSPQ MEGPDHGKAL FSTPAAVPEL KLLCGADVLLK TFQTPNLWKD AHIQEIVEKF GLVCVGRVGH DPKGZIAESP ILRMQHNIH LAKEPVQNEI SATYIRRALG QGQSVKYLIP DAVITYIKDH GLYTKGSTWK GKSTQSTEGK TS <b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b>
-----------	--

Characteristics:	Key Benefits: <ul style="list-style-type: none"><li>• Made in Germany - from design to production - by highly experienced protein experts.</li><li>• Protein expressed with ALiCE® and purified in one-step affinity chromatography</li><li>• These proteins are normally active (enzymatically functional) as our customers have</li></ul>
------------------	---

## Product Details

---

- reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

Purification: One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity: > 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

## Target Details

---

Target: NMNAT3

Alternative Name: NMNAT3 ([NMNAT3 Products](#))

Background: Nicotinamide/nicotinic acid mononucleotide adenylyltransferase 3 (NMN/NaMN adenylyltransferase 3) (Nicotinamide-nucleotide adenylyltransferase 3) (NMN

---

## Target Details

---

adenylyltransferase 3) (Nicotinate-nucleotide adenylyltransferase 3) (NaMN adenylyltransferase 3) (EC 2.7.7.18) (Pyridine nucleotide adenylyltransferase 3) (PNAT-3) (EC 2.7.7.1),FUNCTION: Catalyzes the formation of NAD(+) from nicotinamide mononucleotide (NMN) and ATP. Can also use the deamidated form, nicotinic acid mononucleotide (NaMN) as substrate with the same efficiency. Can use triazofurin monophosphate (TrMP) as substrate. Can also use GTP and ITP as nucleotide donors. Also catalyzes the reverse reaction, i.e. the pyrophosphorolytic cleavage of NAD(+). For the pyrophosphorolytic activity, can use NAD(+), NADH, NaAD, nicotinic acid adenine dinucleotide phosphate (NHD), nicotinamide guanine dinucleotide (NGD) as substrates. Fails to cleave phosphorylated dinucleotides NADP(+), NADPH and NaADP(+). Protects against axonal degeneration following injury. {ECO:0000269|PubMed:16118205, ECO:0000269|PubMed:17402747}.

---

Molecular Weight: 28.3 kDa

UniProt: [Q96T66](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

---

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request,

## Handling

---

please contact us.

---

Handling Advice: Avoid repeated freeze-thaw cycles.

---

Storage: -80 °C

---

Storage Comment: Store at -80°C.

---

Expiry Date: Unlimited (if stored properly)