antibodies.com

Datasheet for ABIN3084693 NrCAM Protein (AA 1191-1304) (His tag)





Overview

Quantity:	1 mg
Target:	NrCAM (NRCAM)
Protein Characteristics:	AA 1191-1304
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NrCAM protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)
Product Details	
Sequence:	RRNKGGKYPV KEKEDAHADP EIQPMKEDDG TFGEYSDAED HKPLKKGSRT PSDRTVKKED
	SDDSLVDYGE GVNGQFNEDG SFIGQYSGKK EKEPAEGNES SEAPSPVNAM NSFV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	 Made in Germany - from design to production - by highly experienced protein experts. Human NRCAM Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3084693 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Product Details	
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in bacterial culture:
	1. In a first purification step, the protein is purified from the cleared cell lysate using three
	different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
	fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
	through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade

Target Details

Target:	NrCAM (NRCAM)
Alternative Name:	NRCAM (NRCAM Products)
Background:	Cell adhesion protein that is required for normal responses to cell-cell contacts in brain and in
	the peripheral nervous system. Plays a role in neurite outgrowth in response to contactin
	binding. Plays a role in mediating cell-cell contacts between Schwann cells and axons. Plays a
	role in the formation and maintenance of the nodes of Ranvier on myelinated axons. Nodes of
	Ranvier contain clustered sodium channels that are crucial for the saltatory propagation of

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3084693 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

	action potentials along myelinated axons. During development, nodes of Ranvier are formed by
	the fusion of two heminodes. Required for normal clustering of sodium channels at heminodes,
	not required for the formation of mature nodes with normal sodium channel clusters. Required,
	together with GLDN, for maintaining NFASC and sodium channel clusters at mature nodes of
	Ranvier. {ECO:0000250 UniProtKB:Q810U4}.
Molecular Weight:	13.5 kDa Including tag.
UniProt:	Q92823
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3084693 | 09/11/2023 | Copyright antibodies-online. All rights reserved.