

Datasheet for ABIN3084738

## NUDT7 Protein (AA 1-238) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	1 mg
Target:	NUDT7
Protein Characteristics:	AA 1-238
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NUDT7 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

### Product Details

Brand:	ALiCE®
Sequence:	<p>MSRLGLPEEP VRNSLLDDAK ARLRKYDIGG KYSHLPYNKY SVLLPLVAKE GKLHLLFTVR            SEKLRRAPGE VCFPGGKRDP TDMDDAATAL REAQEEVGLR PHQVEVCCCL VPCLIDTDTL            ITPFVGLIDH NFQAQPNPAE VKDVFLVPLA YFLHPQVHDQ HYVTRLGHRF INHIFEYTNP            EDGVTYQIKG MTANLAVLVA FIILEKKPTF EVQFNLNDVL ASSEELFLKV HKKATSRL</p> <p><b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</b></p>
Characteristics:	<p>Key Benefits:</p> <ul style="list-style-type: none"> <li>• Made in Germany - from design to production - by highly experienced protein experts.</li> <li>• Protein expressed with ALiCE® and purified in one-step affinity chromatography</li> <li>• These proteins are normally active (enzymatically functional) as our customers have</li> </ul>

- reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Target Details

Target:	NUDT7
Alternative Name:	NUDT7 ( <a href="#">NUDT7 Products</a> )
Background:	Peroxisomal coenzyme A diphosphatase NUDT7 (EC 3.6.1.-) (Nucleoside diphosphate-linked

## Target Details

moiety X motif 7) (Nudix motif 7),FUNCTION: Fatty acyl-coenzyme A (CoA) diphosphatase that hydrolyzes fatty acyl-CoA to yield acyl-4'-phosphopantetheine and adenosine 3',5'-bisphosphate (By similarity). Cleaves CoA, CoA esters and oxidized CoA with similar efficiencies (By similarity). Preferentially hydrolyzes medium-chain acyl-CoAs and bile acid-CoAs (By similarity). Has no activity toward NDP-sugars, CDP-alcohols, (deoxy)nucleoside 5'-triphosphates, nucleoside 5'-di or monophosphates, diadenosine polyphosphates, NAD, NADH, NADP, NADPH or thymidine-5'-monophospho-p-nitrophenyl ester (By similarity). May be required to eliminate oxidized CoA from peroxisomes, or regulate CoA and acyl-CoA levels in this organelle in response to metabolic demand (By similarity). Does not play a role in U8 snoRNA decapping activity (By similarity). Binds U8 snoRNA (By similarity). Exhibits decapping activity towards dpCoA-capped RNAs in vitro (By similarity). {ECO:0000250|UniProtKB:Q99P30}.

Molecular Weight: 26.9 kDa

UniProt: [P0C024](#)

Pathways: [Brown Fat Cell Differentiation](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

## Handling

Format: Liquid

## Handling

---

Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months