.-online.com antibodies

## Datasheet for ABIN3085204 Oncomodulin 2 (OCM2) (AA 2-109) protein (His tag)



Overview

Overview	
Quantity:	1 mg
Target:	Oncomodulin 2 (OCM2)
Protein Characteristics:	AA 2-109
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	His tag
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA
Product Details	
Sequence:	SITDVLSADD IAAALQECQD PDTFEPQKFF QTSGLSKMSA SQVKDVFRFI DNDQSGYLDE
	EELKFFLQKF ESGARELTES ETKSLMAAAD NDGDGKIGAE EFQEMVHS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	<ul> <li>Human OCM2 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.</li> </ul>
	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3085204 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

UniProt: Application Details	P0CE71
	P0CE71
Wolcoular Weight.	
Molecular Weight:	13.0 kDa Including tag.
Alternative Name:	OCM2 (OCM2 Products)
Target:	Oncomodulin 2 (OCM2)
Target Details	
Grade:	Crystallography grade
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Sterility:	0.22 µm filtered
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Purification:	<ol> <li>Two step purification of proteins expressed in bacterial culture:</li> <li>In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li> <li>Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> </ol>
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

**Product Details** 

International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3085204 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Application Details	
	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)