

Datasheet for ABIN3085323

OTUD3 Protein (AA 1-398) (Strep Tag)



Go to Product page

()	ve	r\/i	۱۸/
\cup	V C	1 / 1	 ٧V

Quantity:	250 μg
Target:	OTUD3
Protein Characteristics:	AA 1-398
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This OTUD3 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Brand:	AliCE®
Sequence:	MSRKQAAKSR PGSGSRKAEA ERKRDERAAR RALAKERRNR PESGGGGGCE EEFVSFANQL
	QALGLKLREV PGDGNCLFRA LGDQLEGHSR NHLKHRQETV DYMIKQREDF EPFVEDDIPF
	EKHVASLAKP GTFAGNDAIV AFARNHQLNV VIHQLNAPLW QIRGTEKSSV RELHIAYRYG
	EHYDSVRRIN DNSEAPAHLQ TDFQMLHQDE SNKREKIKTK GMDSEDDLRD EVEDAVQKVC
	NATGCSDFNL IVQNLEAENY NIESAIIAVL RMNQGKRNNA EENLEPSGRV LKQCGPLWEE
	GGSGARIFGN QGLNEGRTEN NKAQASPSEE NKANKNQLAK VTNKQRREQQ WMEKKKRQEE
	RHRHKALESR GSHRDNNRSE AEANTQVTLV KTFAALNI
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	OTUD3

Target Details

Alternative Name:	OTUD3 (OTUD3 Products)
Background:	OTU domain-containing protein 3 (EC 3.4.19.12),FUNCTION: Deubiquitinating enzyme that
	hydrolyzes 'Lys-6'- and 'Lys-11'-linked polyubiquitin. Also hydrolyzes heterotypic (mixed and
	branched) and homotypic chains (PubMed:23827681, PubMed:32011234, PubMed:35675826).
	Important regulator of energy metabolism (PubMed:35675826). Glucose and fatty acids trigger
	its nuclear translocation by CBP-dependent acetylation (PubMed:35675826). In the nucleus,
	deubiquitinates and stabilizes the nuclear receptor PPARD regulating the expression of various
	genes involved in glucose and lipid metabolism and oxidative phosphorylation
	(PubMed:35675826). Also acts as a negative regulator of the ribosome quality control (RQC) by
	mediating deubiquitination of 40S ribosomal proteins RPS10/eS10 and RPS20/uS10, thereby
	antagonizing ZNF598-mediated 40S ubiquitination (PubMed:32011234).
	{ECO:0000269 PubMed:23827681, ECO:0000269 PubMed:32011234,
	ECO:0000269 PubMed:35675826}.
Molecular Weight:	45.1 kDa
UniProt:	Q5T2D3
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	
	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce
Restrictions:	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months