antibodies .-online.com

Datasheet for ABIN3086171 PKD1 Protein (AA 3345-3559) (His tag)



Overview	
Quantity:	1 mg
Target:	PKD1
Protein Characteristics:	AA 3345-3559
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This PKD1 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)
Product Details	
Sequence:	RMSRSKVAGS PSPTPAGQQV LDIDSCLDSS VLDSSFLTFS GLHAEQAFVG QMKSDLFLDD
	SKSLVCWPSG EGTLSWPDLL SDPSIVGSNL RQLARGQAGH GLGPEEDGFS LASPYSPAKS
	FSASDEDLIQ QVLAEGVSSP APTQDTHMET DLLSSLSSTP GEKTETLALQ RLGELGPPSP
	GLNWEQPQAA RLSRTGLVEG LRKRLLPAWC ASLAH
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Human PKD1 Protein (raised in E. Coli) purified by multi-step, protein-specific process to
	ensure crystallization grade.
	• State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made to order protein and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN3086171 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	In the unlikely event that the protein cannot be expressed or purified we do not charge anything
	(other companies might charge you for any performed steps in the expression process for
	custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
	experiments or purification optimization).
	When you order this made-to-order protein you will only pay upon receival of the correctly
	folded protein. With no financial risk on your end you can rest assured that our experienced
	protein experts will do everything to make sure that you receive the protein you ordered.
	The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	The concentration of the protein is calculated using its specific absorption coefficient. We use
	the Expasy's protparam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in bacterial culture:
	 In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
	 Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Endotoxin has not been removed. Please contact us if you require endotoxin removal.
Grade:	Crystallography grade
Target Details	
Target:	PKD1
Altornativo Namo:	PKD1 (PKD1 Products)

Alternative Name:	PKD1 (PKD1 Products)
Background:	Involved in renal tubulogenesis (PubMed:12482949). Involved in fluid-flow mechanosensation
	by the primary cilium in renal epithelium (By similarity). Acts as a regulator of cilium length,
	together with PKD2 (By similarity). The dynamic control of cilium length is essential in the

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN3086171 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Target Details

	regulation of mechanotransductive signaling (By similarity). The cilium length response creates
	a negative feedback loop whereby fluid shear-mediated deflection of the primary cilium, which
	decreases intracellular cAMP, leads to cilium shortening and thus decreases flow-induced
	signaling (By similarity). May be an ion-channel regulator. Involved in adhesive protein-protein
	and protein-carbohydrate interactions. {ECO:0000250 UniProtKB:008852,
	ECO:0000269 PubMed:12482949}.
Molecular Weight:	23.7 kDa Including tag.
UniProt:	P98161
Pathways:	Myometrial Relaxation and Contraction, Maintenance of Protein Location

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)