antibodies.com

## Datasheet for ABIN3086421 PRICKLE3 Protein (AA 1-615) (Strep Tag)



Overview

Quantity:	1 mg
Target:	PRICKLE3
Protein Characteristics:	AA 1-615
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This PRICKLE3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

## Product Details

HNHHH HHNRHPSRRR HYQCDAGSGS MPA QDTAMETFNS PSLSLPRDSR
HNHHH HHNRHPSRRR HYQCDAGSGS
PNLR PDDSAFGRQS TPRVSFRDPL
SFSA VKGASETTTK GTSTELAPAT
SDRCFC CSRCGRALLG RPFLPRRGLI
FCCFE CEASLGGQRY VMRQSRPHCC
CTT CQELLVDLIY FYHVGKVYCG
RAF SQQRKRENLG RGIVRIFPVT
PGL KPEQVYQFFS CLPEDKVPYV
GFLLH GWRKICQHCK CPREEHAVHA

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3086421 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:
	<ul> <li>Made in Germany - from design to production - by highly experienced protein experts.</li> <li>Protein expressed with ALICE® and purified by multi-step, protein-specific process to ensure correct folding and modification.</li> <li>These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).</li> <li>State-of-the-art algorithm used for plasmid design (Gene synthesis).</li> </ul>
	This protein is a <b>made-to-order protein</b> and will be made for the first time for your order. Our
	experts in the lab will ensure that you receive a correctly folded protein.
	The big advantage of ordering our <b>made-to-order proteins</b> in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
	Expression System:
	<ul> <li>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</li> <li>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</li> </ul>
	<ul> <li>Concentration:</li> <li>The concentration of our recombinant proteins is measured using the absorbance at 280nm.</li> <li>The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.</li> <li>We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.</li> </ul>
Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):
	1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3086421 | 04/30/2024 | Copyright antibodies-online. All rights reserved. capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step<br/>through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and<br/>Western blot.Purity:>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Endotoxin Level:Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)</td>Grade:Crystallography grade

## Target Details

l'alget Detailo	
Target:	PRICKLE3
Alternative Name:	PRICKLE3 (PRICKLE3 Products)
Background:	Prickle planar cell polarity protein 3 (LIM domain only protein 6) (LMO-6) (Prickle-like protein 3) (Pk3) (Triple LIM domain protein 6),FUNCTION: Involved in the planar cell polarity (PCP)
	pathway that is essential for the polarization of epithelial cells during morphogenetic processes
	including gastrulation and neurulation (By similarity). PCP is maintained by two molecular
	modules, the global and the core modules, PRICKLE3 being part of the core module (By
	similarity). Distinct complexes of the core module segregate to opposite sides of the cell, when
	they interact with the opposite complex in the neighboring cell at or near the adherents
	junctions (By similarity). Involved in the organization of the basal body (By similarity). Involved
	in cilia growth and positioning (By similarity). Required for proper assembly, stability, and
	function of mitochondrial membrane ATP synthase (mitochondrial complex V)
	(PubMed:32516135). {ECO:0000250 UniProtKB:A8WH69, ECO:0000269 PubMed:32516135}.
Molecular Weight:	68.6 kDa
UniProt:	043900
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
FF	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

even the most difficult-to-express proteins, including those that require post-translational

Page 3/4 | Product datasheet for ABIN3086421 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Llondling	
Handling	
Format:	Liquid
	Liquid The buffer composition is at the discretion of the manufacturer. If you have a special request,
Format:	· · · · · · · · · · · · · · · · · · ·
Format:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
Format: Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Format: Buffer: Handling Advice:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. Avoid repeated freeze-thaw cycles.