

Datasheet for ABIN3087229

RGC32 Protein (AA 1-137) (Strep Tag)



Overview

Quantity:	1 mg
Target:	RGC32 (C13orf15)
Protein Characteristics:	AA 1-137
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RGC32 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA
Product Details	

Product Details

Sequence:

Characteristics:	Key Benefits:
	have a special request, please contact us.
	system, a different complexity of the protein could make another tag necessary. In case you
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	KELEAFIADL DKTLASM
	KRRSSASVSD SSGFSDSESA DSLYRNSFSF SDEKLNSPTD STPALLSATV TPQKAKLGDT

- Key Benefits:
- Made in Germany from design to production by highly experienced protein experts.

MKPPAAQGSP AAAAAAAPAL DSAAAEDLSD ALCEFDAVLA DFASPFHERH FHYEEHLERM

- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- · These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- · ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- · During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Target Details	
Target:	RGC32 (C13orf15)
Alternative Name:	RGCC (C13orf15 Products)
Background:	Regulator of cell cycle RGCC (Response gene to complement 32 protein) (RGC-32),FUNCTION: Modulates the activity of cell cycle-specific kinases. Enhances CDK1 activity. May contribute to the regulation of the cell cycle. May inhibit growth of glioma cells by promoting arrest of mitotic progression at the G2/M transition. Fibrogenic factor contributing to the pathogenesis of renal

Target Details

Target Details	
	fibrosis through fibroblast activation. {ECO:0000269 PubMed:11687586, ECO:0000269 PubMed:17146433, ECO:0000269 PubMed:19158077,
	ECO:0000269 PubMed:17140433, ECO:0000209 PubMed:19138077,
Molecular Weight:	14.6 kDa
UniProt:	Q9H4X1
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)