# antibodies .- online.com





# RNF25 Protein (AA 1-459) (Strep Tag)



Go to Product pag

#### Overview

| Quantity:                     | 1 mg   |
|-------------------------------|--|
| Target:                       | RNF25  |
| Protein Characteristics:      | AA 1-459                                       |
| Origin:                       | Human  |
| Source:                       | Tobacco (Nicotiana tabacum)                    |
| Protein Type:                 | Recombinant                                    |
| Purification tag / Conjugate: | This RNF25 protein is labelled with Strep Tag. |
| Application:                  | ELISA, Western Blotting (WB), SDS-PAGE (SDS)   |

#### **Product Details**

Sequence:

MAASASAAAG EEDWVLPSEV EVLESIYLDE LQVIKGNGRT SPWEIYITLH PATAEDQDSQ
YVCFTLVLQV PAEYPHEVPQ ISIRNPRGLS DEQIHTILQV LGHVAKAGLG TAMLYELIEK
GKEILTDNNI PHGQCVICLY GFQEKEAFTK TPCYHYFHCH CLARYIQHME QELKAQGQEQ
EQERQHATTK QKAVGVQCPV CREPLVYDLA SLKAAPEPQQ PMELYQPSAE SLRQQEERKR
LYQRQQERGG IIDLEAERNR YFISLQQPPA PAEPESAVDV SKGSQPPSTL AAELSTSPAV
QSTLPPPLPV ATQHICEKIP GTRSNQQRLG ETQKAMLDPP KPSRGPWRQP ERRHPKGGEC
HAPKGTRDTQ ELPPPEGPLK EPMDLKPEPH SQGVEGPPQE KGPGSWQGPP PRRTRDCVRW
ERSKGRTPGS SYPRLPRGQG AYRPGTRRES LGLESKDGS

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

| Product Details     |   |
|---------------------|---|
| Purity:             | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.  |
| Endotoxin Level:    | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)   |
| Target Details      |   |
| Target:             | RNF25   |
| Alternative Name:   | RNF25 (RNF25 Products)  |
| Background:         | E3 ubiquitin-protein ligase RNF25 (EC 2.3.2.27) (RING finger protein 25) (RING finger protein AO7),FUNCTION: E3 ubiquitin-protein ligase that plays a key role in the RNF14-RNF25 translation quality control pathway, a pathway that takes place when a ribosome has stalled during translation, and which promotes ubiquitination and degradation of translation factors on stalled ribosomes (PubMed:36638793, PubMed:37651229, PubMed:37951216). Catalyzes ubiquitination of RPS27A in response to ribosome collisions, promoting activation of RNF14 (PubMed:36638793). RNF25 catalyzes ubiquitination of other ribosomal proteins on stalled ribosomes, such as RPL0, RPL1, RPL12, RPS13 and RPS17 (PubMed:36638793). Also involved in ubiquitination and degradation of stalled ETF1/eRF1 (PubMed:36638793, PubMed:37651229). Independently of its function in the response to stalled ribosomes, mediates ubiquitination and subsequent proteasomal degradation of NKD2 (By similarity). May also stimulate transcription mediated by NF-kappa-B via its interaction with RELA/p65 (PubMed:12748188). {ECO:0000250 UniProtKB:Q9QZR0, ECO:0000269 PubMed:12748188, ECO:0000269 PubMed:37951216}. |
| Molecular Weight:   | 51.2 kDa  |
| UniProt:            | Q96BH1  |
| Application Details |   |
| Application Notes:  | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  |
| Comment:            | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.  During lysate production, the cell wall and other cellular components that are not required for  |

# **Application Details**

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

## Handling

| Format:          | Liquid   |
|------------------|--|
| Buffer:          | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. |
| Handling Advice: | Avoid repeated freeze-thaw cycles.   |
| Storage:         | -80 °C   |
| Storage Comment: | Store at -80°C.  |
| Expiry Date:     | Unlimited (if stored properly)   |