

Datasheet for ABIN3087475
RNF10 Protein (AA 1-811) (Strep Tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	RNF10
Protein Characteristics:	AA 1-811
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This RNF10 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MPLSSPNAAA TASDMDKNSG SNSSSASSGS SKGQQPPRSA SAGPAGESKP KSDGKNSSGS KRYNRKRELS YPKNESFNNQ SRRSSSQKSK TFNKMPPQRG GGSSKLFSSS FNGGRRDEVA EAQRAEFSPA QFSGPKKINL NHLLNFTFEP RGQTGHFEGS GHGSWGKRNK WGHKPFNKEL FLQANCQFVV SEDQDYTAHF ADPDTLVNWD FVEQVRICSH EVPSCPICLY PPTAAKITRC GHIFCWACIL HYLSLSEKTW SKCPICYSSV HKKDLKSVVA TESHQYVVGD TITMQLMKRE KGV LVALPKS KWMNVDPHIH LGDEQHSQYS KLLLASKEQV LHRVVLEEKV ALEQQLAE EK HTPESCFIEA AIQELKTREE ALSGLAGSRR EVTGVVAAL EQLVLMAPLAK ES VFQPRKGV LEYLSAFDEE TTEVCSLDTP SRPLALPLVE EEEAVSEPEP EGLPEACDDL ELADDNLKEG TICTESSQQE PITKSGFTRL SSSPCYYFYQ AEDGQHMFLH PVNVRCLVRE YGSLERSPEK ISATVVEIAG YSMSEDVRQR HRYLSHLPLT CEFSICELAL QPPVVSKETL EMFSDDIEKR KRQRQKKARE ERRRRERRIEI EENKKQGKYP EVHIPL ENLQ QFPAFNSYTC SSDSALGPTS TEGHGALSIS PLSRSPGSHA DFLLTPLSPT ASQGSPSFCV GSLEEDSPFP SFAQMLRVGK
-----------	---

AKADVWPKTA PKKDENSELVP PAPVDSGEGS DNSDRVPVPS FQNSFSQAIE AAFMKLDTPA
TSDPLSEEEKG GKKRKKQKQK LLFSTSVVHT K

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	RNF10
Alternative Name:	RNF10 (RNF10 Products)
Background:	E3 ubiquitin-protein ligase RNF10 (EC 2.3.2.27) (RING finger protein 10),FUNCTION: E3 ubiquitin-protein ligase that catalyzes monoubiquitination of 40S ribosomal proteins RPS2/us5 and RPS3/us3 in response to ribosome stalling (PubMed:34348161, PubMed:34469731). Part of a ribosome quality control that takes place when ribosomes have stalled during translation initiation (iRQC): RNF10 acts by mediating monoubiquitination of RPS2/us5 and RPS3/us3, promoting their degradation by the proteasome (PubMed:34348161, PubMed:34469731). Also promotes ubiquitination of 40S ribosomal proteins in response to ribosome stalling during translation elongation (PubMed:34348161). The action of RNF10 in iRQC is counteracted by USP10 (PubMed:34469731). May also act as a transcriptional factor involved in the regulation of MAG (Myelin-associated glycoprotein) expression (By similarity). Acts as a regulator of Schwann cell differentiation and myelination (By similarity). {ECO:0000250 UniProtKB:Q5XI59, ECO:0000269 PubMed:34348161, ECO:0000269 PubMed:34469731}.
Molecular Weight:	89.9 kDa
UniProt:	Q8N5U6

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Application Details

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process