antibodies -online.com





Serotonin Receptor 6 Protein (HTR6) (AA 321-440) (His tag)



Image



Go to Product page

\sim	
()\/\	rview
\cup	1 410 44

1 mg
Serotonin Receptor 6 (HTR6)
AA 321-440
Human
Insect Cells
Recombinant
This Serotonin Receptor 6 protein is labelled with His tag.
Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)
PLFMRDFKRA LGRFLPCPRC PRERQASLAS PSLRTSHSGP RPGLSLQQVL PLPLPPDSDS
DSDAGSGGSS GLRLTAQLLL PGEATQDPPL PTRAAAAVNF FNIDPAEPEL RPHPLGIPTN
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
special request, please contact us.
 Made in Germany - from design to production - by highly experienced protein experts. Human HTR6 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. State-of-the-art algorithm used for plasmid design (Gene synthesis).
This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

specific reference buffer.

Grade:

Crystallography grade

Target Details

Target:	Serotonin Receptor 6 (HTR6)
Alternative Name:	HTR6 (HTR6 Products)
Background:	This is one of the several different receptors for 5-hydroxytryptamine (serotonin), a biogenic hormone that functions as a neurotransmitter, a hormone, and a mitogen. The activity of this
	receptor is mediated by G proteins that stimulate adenylate cyclase. It has a high affinity for
	tricyclic psychotropic drugs (By similarity). Controls pyramidal neurons migration during
	corticogenesis, through the regulation of CDK5 activity (By similarity). Is an activator of TOR

Target Details

Expiry Date:

7611). {ECO:0000250 UniProtKB:P31388, 3:Q9R1C8, ECO:0000269 PubMed:23027611}.
1:Q9R1C8, EC0:0000269 PubMed:23027611}.
ations listed above we expect the protein to work for functional studies
as not been tested for functional studies yet we cannot offer a
phly likely that the recombinant protein with the default tag will be
may suggest a higher molecular weight tag (e.g. GST-tag) instead to
rill discuss all possible options with you in detail to assure that you
iterest.
lepes, 10% glycerol. pH value is at the discretion of the manufacturer.
aw cycles.

Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process