# antibodies .- online.com





# ABI2 Protein (AA 1-513) (Strep Tag)



#### Overview

Quantity:	1 mg
Target:	ABI2
Protein Characteristics:	AA 1-513
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ABI2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

#### **Product Details**

Sequence:

MAELQMLLEE EIPGGRRALF DSYTNLERVA DYCENNYIQS ADKQRALEET KAYTTQSLAS
VAYLINTLAN NVLQMLDIQA SQLRRMESSI NHISQTVDIH KEKVARREIG ILTTNKNTSR
THKIIAPANL ERPVRYIRKP IDYTILDDIG HGVKWLLRFK VSTQNMKMGG LPRTTPPTQK
PPSPPMSGKG TLGRHSPYRT LEPVRPPVVP NDYVPSPTRN MAPSQQSPVR TASVNQRNRT
YSSSGSSGGS HPSSRSSSRE NSGSGSVGVP IAVPTPSPPS VFPAPAGSAG TPPLPATSAS
APAPLVPATV PSSTAPNAAA GGAPNLADGF TSPTPPVVSS TPPTGHPVQF YSMNRPASRH
TPPTIGGSLP YRRPPSITSQ TSLQNQMNGG PFYSQNPVSD TPPPPPPVEE PVFDESPPPP
PPPEDYEEEE AAVVEYSDPY AEEDPPWAPR SYLEKVVAIY DYTKDKEDEL SFQEGAIIYV
IKKNDDGWYE GVMNGVTGLF PGNYVESIMH YSE

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

## **Product Details**

	Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade
Target Details	
Target:	ABI2
Alternative Name:	ABI2 (ABI2 Products)
Background:	Abl interactor 2 (Abelson interactor 2) (Abi-2) (Abl-binding protein 3) (AbIBP3) (Arg-binding
	protein 1) (ArgBP1),FUNCTION: Regulator of actin cytoskeleton dynamics underlying cell
	motility and adhesion. Functions as a component of the WAVE complex, which activates actin
	nucleating machinery Arp2/3 to drive lamellipodia formation (PubMed:21107423). Acts as a
	regulator and substrate of nonreceptor tyrosine kinases ABL1 and ABL2 involved in processes
	linked to cell growth and differentiation. Positively regulates ABL1-mediated phosphorylation of
	ENAH, which is required for proper polymerization of nucleated actin filaments at the leading
	edge (PubMed:7590236, PubMed:8649853, PubMed:10498863). Contributes to the regulation
	of actin assembly at the tips of neuron projections. In particular, controls dendritic spine
	morphogenesis and may promote dendritic spine specification toward large mushroom-type
	spines known as repositories of memory in the brain (By similarity). In hippocampal neurons,
	may mediate actin-dependent BDNF-NTRK2 early endocytic trafficking that triggers dendrite
	outgrowth (By similarity). Participates in ocular lens morphogenesis, likely by regulating
	lamellipodia-driven adherens junction formation at the epithelial cell-secondary lens fiber
	interface (By similarity). Also required for nascent adherens junction assembly in epithelial cell
	(PubMed:15572692). {ECO:0000250 UniProtKB:P62484, ECO:0000269 PubMed:10498863,
	ECO:0000269 PubMed:15572692, ECO:0000269 PubMed:21107423,
	ECO:0000269 PubMed:7590236, ECO:0000269 PubMed:8649853}.
Molecular Weight:	55.7 kDa
UniProt:	Q9NYB9
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a

## **Application Details**

, application because	
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request,
	please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)