

Datasheet for ABIN3088375

AGAP2 Protein (AA 1-1192) (Strep Tag)



Go to Product page

Overview

Quantity:	250 μg
Target:	AGAP2
Protein Characteristics:	AA 1-1192
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This AGAP2 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MSRGAGALQR RTTTYLISLT LVKLESVPPP PPSPSAAAVG APGARGSEPR DPGSPRGAEE
	PGKKRHERLF HRQDALWIST SSAGAGGAEP PALSPAPASP ARPVSPAPGR RLSLWAAPPG
	PPLSGGLSPD SKPGGAPSSS RRPLLSSPSW GGPEPEGRTG GGVPGSSSPH PGTGSRRLKV
	APPPPAPKPC KTVTTSGAKA GGGKGAGSRL SWPESEGKPR VKGSKSSAGT GASVSAAATA
	AAAGGGGSTA STSGGVGAGA GARGKLSPRK GKSKTLDNSD LHPGPPAGSP PPLTLPPTPS
	PATAVTAASA QPPGPAPPIT LEPPAPGLKR GREGGRASTR DRKMLKFISG IFTKSTGGPP
	GSGPLPGPPS LSSGSGSREL LGAELRASPK AVINSQEWTL SRSIPELRLG VLGDARSGKS
	SLIHRFLTGS YQVLEKTESE QYKKEMLVDG QTHLVLIREE AGAPDAKFSG WADAVIFVFS
	LEDENSFQAV SRLHGQLSSL RGEGRGGLAL ALVGTQDRIS ASSPRVVGDA RARALCADMK
	RCSYYETCAT YGLNVDRVFQ EVAQKVVTLR KQQQLLAACK SLPSSPSHSA ASTPVAGQAS
	NGGHTSDYSS SLPSSPNVGH RELRAEAAAV AGLSTPGSLH RAAKRRTSLF ANRRGSDSEK

RSLDSRGETT GSGRAIPIKQ SFLLKRSGNS LNKEWKKKYV TLSSNGFLLY HPSINDYIHS
THGKEMDLLR TTVKVPGKRP PRAISAFGPS ASINGLVKDM STVQMGEGLE ATTPMPSPSP
SPSSLQPPPD QTSKHLLKPD RNLARALSTD CTPSGDLSPL SREPPPSPMV KKQRRKKLTT
PSKTEGSAGQ AEAKRKMWKL KSFGSLRNIY KAEENFEFLI VSSTGQTWHF EAASFEERDA
WVQAIESQIL ASLQCCESSK VKLRTDSQSE AVAIQAIRNA KGNSICVDCG APNPTWASLN
LGALICIECS GIHRNLGTHL SRVRSLDLDD WPRELTLVLT AIGNDTANRV WESDTRGRAK
PSRDSSREER ESWIRAKYEQ LLFLAPLSTS EEPLGRQLWA AVQAQDVATV LLLLAHARHG
PLDTSVEDPQ LRSPLHLAAE LAHVVITQLL LWYGADVAAR DAQGRTALFY ARQAGSQLCA
DILLQHGCPG EGGSAATTPS AATTPSITAT PSPRRRSSAA SVGRADAPVA LV

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:

AGAP2

Alternative Name:

AGAP2 (AGAP2 Products)

Background:

Arf-GAP with GTPase, ANK repeat and PH domain-containing protein 2 (AGAP-2) (Centauringamma-1) (Cnt-g1) (GTP-binding and GTPase-activating protein 2) (GGAP2) (Phosphatidylinositol 3-kinase enhancer) (PIKE),FUNCTION: GTPase-activating protein (GAP) for ARF1 and ARF5, which also shows strong GTPase activity. Isoform 1 participates in the prevention of neuronal apoptosis by enhancing PI3 kinase activity. It aids the coupling of metabotropic glutamate receptor 1 (GRM1) to cytoplasmic PI3 kinase by interacting with Homer scaffolding proteins, and also seems to mediate anti-apoptotic effects of NGF by activating nuclear PI3 kinase. Isoform 2 does not stimulate PI3 kinase but may protect cells from apoptosis by stimulating Akt. It also regulates the adapter protein 1 (AP-1)-dependent trafficking of proteins in the endosomal system. It seems to be oncogenic. It is overexpressed in cancer cells, prevents apoptosis and promotes cancer cell invasion. (ECO:0000269|PubMed:12640130, ECO:0000269|PubMed:14761976, ECO:0000269|PubMed:15118108, ECO:0000269|PubMed:16079295}.

Molecular Weight:

124.7 kDa

UniProt:

Q99490

Application Details

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a

Application Details

Handling Advice:

Storage Comment:

Storage:

Expiry Date:

Application Detail	
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
	Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.

Avoid repeated freeze-thaw cycles.

-80 °C

Store at -80°C.

12 months