antibodies .- online.com





Angiopoietin 1 Protein (ANGPT1) (AA 16-498) (His tag)



Image



Overview

Quantity:	1 mg
Target:	Angiopoietin 1 (ANGPT1)
Protein Characteristics:	AA 16-498
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Angiopoietin 1 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

Product Details

Sequence:

HIGCSNQRRS PENSGRRYNR IQHGQCAYTF ILPEHDGNCR ESTTDQYNTN ALQRDAPHVE
PDFSSQKLQH LEHVMENYTQ WLQKLENYIV ENMKSEMAQI QQNAVQNHTA TMLEIGTSLL
SQTAEQTRKL TDVETQVLNQ TSRLEIQLLE NSLSTYKLEK QLLQQTNEIL KIHEKNSLLE
HKILEMEGKH KEELDTLKEE KENLQGLVTR QTYIIQELEK QLNRATTNNS VLQKQQLELM
DTVHNLVNLC TKEGVLLKGG KREEEKPFRD CADVYQAGFN KSGIYTIYIN NMPEPKKVFC
NMDVNGGGWT VIQHREDGSL DFQRGWKEYK MGFGNPSGEY WLGNEFIFAI TSQRQYMLRI
ELMDWEGNRA YSQYDRFHIG NEKQNYRLYL KGHTGTAGKQ SSLILHGADF STKDADNDNC
MCKCALMLTG GWWFDACGPS NLNGMFYTAG QNHGKLNGIK WHYFKGPSYS LRSTTMMIRP
LDF

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human ANGPT1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	Angiopoietin 1 (ANGPT1)
Alternative Name:	ANGPT1 (ANGPT1 Products)
Background:	Binds and activates TEK/TIE2 receptor by inducing its dimerization and tyrosine
	phosphorylation. Plays an important role in the regulation of angiogenesis, endothelial cell
	survival, proliferation, migration, adhesion and cell spreading, reorganization of the actin
	cytoskeleton, but also maintenance of vascular quiescence. Required for normal angiogenesis
	and heart development during embryogenesis. After birth, activates or inhibits angiogenesis,
	depending on the context. Inhibits angiogenesis and promotes vascular stability in quiescent
	vessels, where endothelial cells have tight contacts. In quiescent vessels, ANGPT1 oligomers
	recruit TEK to cell-cell contacts, forming complexes with TEK molecules from adjoining cells,
	and this leads to preferential activation of phosphatidylinositol 3-kinase and the AKT1 signaling
	cascades. In migrating endothelial cells that lack cell-cell adhesions, ANGT1 recruits TEK to
	contacts with the extracellular matrix, leading to the formation of focal adhesion complexes,
	activation of PTK2/FAK and of the downstream kinases MAPK1/ERK2 and MAPK3/ERK1, and
	ultimately to the stimulation of sprouting angiogenesis. Mediates blood vessel
	maturation/stability. Implicated in endothelial developmental processes later and distinct from
	that of VEGF. Appears to play a crucial role in mediating reciprocal interactions between the
	endothelium and surrounding matrix and mesenchyme. {ECO:0000269 PubMed:15284220,
	ECO:0000269 PubMed:18425119, ECO:0000269 PubMed:18425120,
	ECO:0000269 PubMed:9204896}.
Molecular Weight:	56.8 kDa Including tag.
UniProt:	Q15389
Pathways:	RTK Signaling, Glycosaminoglycan Metabolic Process
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process