antibodies .- online.com





Androgen Receptor Protein (AR) (AA 1-920) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	Androgen Receptor (AR)
Protein Characteristics:	AA 1-920
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Androgen Receptor protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MEVQLGLGRV YPRPPSKTYR GAFQNLFQSV REVIQNPGPR HPEAASAAPP GASLLLLQQQ QQQQQQQQQQQQQQQQQQQ ETSPRQQQQQ QGEDGSPQAH RRGPTGYLVL DEEQQPSQPQ SALECHPERG CVPEPGAAVA ASKGLPQQLP APPDEDDSAA PSTLSLLGPT FPGLSSCSAD LKDILSEAST MQLLQQQQE AVSEGSSSGR AREASGAPTS SKDNYLGGTS TISDNAKELC KAVSVSMGLG VEALEHLSPG EQLRGDCMYA PLLGVPPAVR PTPCAPLAEC KGSLLDDSAG KSTEDTAEYS PFKGGYTKGL EGESLGCSGS AAAGSSGTLE LPSTLSLYKS GALDEAAAYQ SRDYYNFPLA LAGPPPPPPP PHPHARIKLE NPLDYGSAWA AAAAQCRYGD LASLHGAGAA GPGSGSPSAA ASSSWHTLFT AEEGQLYGPC GGGGGGGGG GGGGGGGGG GGGEAGAVAP YGYTRPPQGL AGQESDFTAP DVWYPGGMVS RVPYPSPTCV KSEMGPWMDS YSGPYGDMRL ETARDHVLPI DYYFPPQKTC LICGDEASGC HYGALTCGSC KVFFKRAAEG KQKYLCASRN DCTIDKFRRK NCPSCRLRKC YEAGMTLGAR KLKKLGNLKL QEEGEASSTT SPTEETTQKL TVSHIEGYEC QPIFLNVLEA IEPGVVCAGH DNNQPDSFAA LLSSLNELGE RQLVHVVKWA

KALPGFRNLH VDDQMAVIQY SWMGLMVFAM GWRSFTNVNS RMLYFAPDLV FNEYRMHKSR
MYSQCVRMRH LSQEFGWLQI TPQEFLCMKA LLLFSIIPVD GLKNQKFFDE LRMNYIKELD
RIIACKRKNP TSCSRRFYQL TKLLDSVQPI ARELHQFTFD LLIKSHMVSV DFPEMMAEII
SVQVPKILSG KVKPIYFHTQ

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human AR Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details Sterility: 0.22 µm filtered Protein is endotoxin free. Endotoxin Level: Grade: Crystallography grade **Target Details** Androgen Receptor (AR) Target: Alternative Name: AR (AR Products) Background: Steroid hormone receptors are ligand-activated transcription factors that regulate eukaryotic gene expression and affect cellular proliferation and differentiation in target tissues. Transcription factor activity is modulated by bound coactivator and corepressor proteins. Transcription activation is down-regulated by NR0B2. Activated, but not phosphorylated, by HIPK3 and ZIPK/DAPK3. {EC0:0000269|PubMed:14664718, EC0:0000269|PubMed:15563469, ECO:0000269|PubMed:17591767, ECO:0000269|PubMed:17911242, ECO:0000269|PubMed:18084323, ECO:0000269|PubMed:19345326, ECO:0000269|PubMed:20980437}., Isoform 3 and isoform 4 lack the C-terminal ligand-binding domain and may therefore constitutively activate the transcription of a specific set of genes independently of steroid hormones. {ECO:0000269|PubMed:19244107}. Molecular Weight: 100.1 kDa Including tag. UniProt: P10275 Nuclear Receptor Transcription Pathway, Intracellular Steroid Hormone Receptor Signaling Pathways: Pathway, Steroid Hormone Mediated Signaling Pathway, Regulation of Intracellular Steroid Hormone Receptor Signaling, Nuclear Hormone Receptor Binding, Chromatin Binding Application Details In addition to the applications listed above we expect the protein to work for functional studies **Application Notes:** as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 3/4 | Product datasheet for ABIN3089021 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

receive your protein of interest.

For Research Use only

Restrictions:

increase solubility. We will discuss all possible options with you in detail to assure that you

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process