antibodies .- online.com





AFT7 Protein (AA 1-494) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	AFT7
Protein Characteristics:	AA 1-494
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This AFT7 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MGDDRPFVCN APGCGQRFTN EDHLAVHKHK HEMTLKFGPA RTDSVIIADQ TPTPTRFLKN CEEVGLFNEL ASSFEHEFKK AADEDEKKAR SRTVAKKLVA AAGPLDMSLP STPDIKIKEE EPVEVDSSPP DSPASSPCSP PLKEKEVTPK PVLISTPTPT IVRPGSLPLH LGYDPLHPTL PSPTSVITQA PPSNRQMGSP TGSLPLVMHL ANGQTMPVLP GPPVQMPSVI SLARPVSMVP NIPGIPGPPV NSSGSISPSG HPIPSEAKMR LKATLTHQVS SINGGCGMVV GTASTMVTAR PEQSQILIQH PDAPSPAQPQ VSPAQPTPST GGRRRRTVDE DPDERRQRFL ERNRAAASRC RQKRKLWVSS LEKKAEELTS QNIQLSNEVT LLRNEVAQLK QLLLAHKDCP VTALQKKTQG YLESPKESSE PTGSPAPVIQ HSSATAPSNG LSVRSAAEAV ATSVLTQMAS QRTELSMPIQ SHVIMTPQSQ SAGR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human ATF7 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

(consensus: 5'-GTGACGT[AG][AG]-3'), a sequence present in many viral and cellular products and continuous and cellular products. Activator of the NF-ELAM1/delta-A site of the E-selectin promoter. Has no intrinsic transcriptional activity, but activates transcription on formation of JUN or FOS heterod Also can bind TRE promoter sequences when heterodimerized with members of the JI family., Isoform 4 acts as a dominant repressor of the E-selectin/NF-ELAM1/delta-A present these effects by sequestrating in the cytoplasm the Thr-53 phosphorylating preventing activation. Molecular Weight: 53.9 kDa Including tag. UniProt: P17544 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid	Target:	AFT7
(consensus: S'-GTGACGT[AG[[AG]-3'], a sequence present in many viral and cellular properties of the NF-ELAM1/delta-A site of the E-selectin promoter. Has no intrinsic transcriptional activity, but activates transcription on formation of JUN or FOS heterod Also can bind TRE promoter sequences when heterodimerized with members of the JI family, Isoform 4 acts as a dominant repressor of the E-selectin/NF-ELAM1/delta-A prisoform 5 acts as a negative regulator, inhibiting both ATF2 and ATF7 transcriptional alt may exert these effects by sequestrating in the cytoplasm the Thr-53 phosphorylatin preventing activation. Molecular Weight: 53.9 kDa Including tag. UniProt: P17544 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufithandling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Alternative Name:	ATF7 (AFT7 Products)
UniProt: P17544 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufal Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -90 °C Storage Comment: Store at -80°C.	Background:	transcriptional activity, but activates transcription on formation of JUN or FOS heterodimers. Also can bind TRE promoter sequences when heterodimerized with members of the JUN family., Isoform 4 acts as a dominant repressor of the E-selectin/NF-ELAM1/delta-A promoter., Isoform 5 acts as a negative regulator, inhibiting both ATF2 and ATF7 transcriptional activities. It may exert these effects by sequestrating in the cytoplasm the Thr-53 phosphorylating kinase
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) inst increase solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufath and the discretion of the discr	Molecular Weight:	53.9 kDa Including tag.
Application Notes: In addition to the applications listed above we expect the protein to work for functional as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) inst increase solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufal Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	UniProt:	P17544
as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufath Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instincrease solubility. We will discuss all possible options with you in detail to assure that receive your protein of interest. Restrictions: For Research Use only Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturable discretion disc	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufather thandling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufather than discretion of the manuf	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufal Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80 °C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process