

Datasheet for ABIN3089782 BAZ1B Protein (AA 1-1483) (Strep Tag)



Overview

Quantity:	250 µg
Target:	BAZ1B
Protein Characteristics:	AA 1-1483
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This BAZ1B protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Brand:	AliCE®
Sequence:	MAPLLGRKPF PLVKPLPGEE PLFTIPHTQE AFRTREEYEA RLERYSERIW TCKSTGSSQL
	THKEAWEEEQ EVAELLKEEF PAWYEKLVLE MVHHNTASLE KLVDTAWLEI MTKYAVGEEC
	DFEVGKEKML KVKIVKIHPL EKVDEEATEK KSDGACDSPS SDKENSSQIA QDHQKKETVV
	KEDEGRRESI NDRARRSPRK LPTSLKKGER KWAPPKFLPH KYDVKLQNED KIISNVPADS
	LIRTERPPNK EIVRYFIRHN ALRAGTGENA PWVVEDELVK KYSLPSKFSD FLLDPYKYMT
	LNPSTKRKNT GSPDRKPSKK SKTDNSSLSS PLNPKLWCHV HLKKSLSGSP LKVKNSKNSK
	SPEEHLEEMM KMMSPNKLHT NFHIPKKGPP AKKPGKHSDK PLKAKGRSKG ILNGQKSTGN
	SKSPKKGLKT PKTKMKQMTL LDMAKGTQKM TRAPRNSGGT PRTSSKPHKH LPPAALHLIA
	YYKENKDRED KRSALSCVIS KTARLLSSED RARLPEELRS LVQKRYELLE HKKRWASMSE
	EQRKEYLKKK REELKKKLKE KAKERREKEM LERLEKQKRY EDQELTGKNL PAFRLVDTPE
	GLPNTLFGDV AMVVEFLSCY SGLLLPDAQY PITAVSLMEA LSADKGGFLY LNRVLVILLQ

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/5 | Product datasheet for ABIN3089782 | 02/26/2025 | Copyright antibodies-online. All rights reserved. TLLQDEIAED YGELGMKLSE IPLTLHSVSE LVRLCLRRSD VQEESEGSDT DDNKDSAAFE DNEVQDEFLE KLETSEFFEL TSEEKLQILT ALCHRILMTY SVQDHMETRQ QMSAELWKER LAVLKEENDK KRAEKQKRKE MEAKNKENGK VENGLGKTDR KKEIVKFEPQ VDTEAEDMIS AVKSRRLLAI QAKKEREIQE REMKVKLERQ AEEERIRKHK AAAEKAFQEG IAKAKLVMRR TPIGTDRNHN RYWLFSDEVP GLFIEKGWVH DSIDYRFNHH CKDHTVSGDE DYCPRSKKAN LGKNASMNTQ HGTATEVAVE TTTPKQGQNL WFLCDSQKEL DELLNCLHPQ GIRESQLKER LEKRYQDIIH SIHLARKPNL GLKSCDGNQE LLNFLRSDLI EVATRLQKGG LGYVEETSEF EARVISLEKL KDFGECVIAL QASVIKKFLQ GFMAPKQKRR KLQSEDSAKT EEVDEEKKMV EEAKVASALE KWKTAIREAQ TFSRMHVLLG MLDACIKWDM SAENARCKVC RKKGEDDKLI LCDECNKAFH LFCLRPALYE VPDGEWQCPA CQPATARRNS RGRNYTEESA SEDSEDDESD EEEEEEEEE EEEDYEVAGL RLRPRKTIRG KHSVIPPAAR SGRRPGKKPH STRRSQPKAP PVDDAEVDEL VLQTKRSSRR QSLELQKCEE ILHKIVKYRF SWPFREPVTR DEAEDYYDVI THPMDFQTVQ NKCSCGSYRS VQEFLTDMKQ VFTNAEVYNC RGSHVLSCMV KTEQCLVALL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/5 | Product datasheet for ABIN3089782 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
	Concentration:
	 The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured against its specific reference buffer. We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	BAZ1B
Alternative Name:	BAZ1B (BAZ1B Products)
Background:	Tyrosine-protein kinase BAZ1B (EC 2.7.10.2) (Bromodomain adjacent to zinc finger domain

Target:	BAZ1B
Alternative Name:	BAZ1B (BAZ1B Products)
Background:	Tyrosine-protein kinase BAZ1B (EC 2.7.10.2) (Bromodomain adjacent to zinc finger domain
	protein 1B) (Williams syndrome transcription factor) (Williams-Beuren syndrome chromosomal
	region 10 protein) (Williams-Beuren syndrome chromosomal region 9 protein)
	(hWALp2),FUNCTION: Atypical tyrosine-protein kinase that plays a central role in chromatin
	remodeling and acts as a transcription regulator (PubMed:19092802). Involved in DNA damage
	response by phosphorylating 'Tyr-142' of histone H2AX (H2AXY142ph) (PubMed:19092802,
	PubMed:19234442). H2AXY142ph plays a central role in DNA repair and acts as a mark that
	distinguishes between apoptotic and repair responses to genotoxic stress (PubMed:19092802,
	PubMed:19234442). Regulatory subunit of the ATP-dependent WICH-1 and WICH-5 ISWI
	chromatin remodeling complexes, which form ordered nucleosome arrays on chromatin and
	facilitate access to DNA during DNA-templated processes such as DNA replication,
	transcription, and repair (PubMed:11980720, PubMed:28801535). Both complexes regulate the
	spacing of nucleosomes along the chromatin and have the ability to slide mononucleosomes to
	the center of a DNA template (PubMed:28801535). The WICH-1 ISWI chromatin remodeling
	complex has a lower ATP hydrolysis rate than the WICH-5 ISWI chromatin remodeling complex

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/5 | Product datasheet for ABIN3089782 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

	(PubMed:28801535). The WICH-5 ISWI chromatin-remodeling complex regulates the
	transcription of various genes, has a role in RNA polymerase I transcription (By similarity).
	Within the B-WICH complex has a role in RNA polymerase III transcription (PubMed:16603771)
	Mediates the recruitment of the WICH-5 ISWI chromatin remodeling complex to replication foc
	during DNA replication (PubMed:15543136). {ECO:0000250 UniProtKB:Q9Z277,
	ECO:0000269 PubMed:11980720, ECO:0000269 PubMed:15543136,
	EC0:0000269 PubMed:16603771, EC0:0000269 PubMed:19092802,
	EC0:0000269 PubMed:19234442, EC0:0000269 PubMed:28801535}.
Molecular Weight:	170.9 kDa
UniProt:	Q9UIG0
Pathways:	Nuclear Hormone Receptor Binding, Chromatin Binding
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/5 | Product datasheet for ABIN3089782 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months