

Datasheet for ABIN3089815

ADC Protein (AA 1-460) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	ADC
Protein Characteristics:	AA 1-460
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ADC protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Brand:	AliCE®
Sequence:	<p>MAGYLSSEDF VMVEEGFSTR DLLKELTLGA SQATTDEVAA FFVADLGAIV RKHFCFLKCL PRVRPFYAVK CNSSPGVLKV LAQLGLGFSC ANKAEMELVQ HIGIPASKII CANPCKQIAQ IKYAAKHGIQ LLSFDNEMEL AKVVKSHPSA KMLVCIATDD SHSLSCLSLK FGVSLKSCRH LLENAKKHHV EVVGVSFHIG SGCPDPQAYA QSIADARLVF EMGTELGHKM HVLDLGGGFP GTEGAKVRFE EIASVINSAL DLYFPEGCGV DIFAELEGYY VTSFTVAVS IIAKKEVLLD QPGREEENGTS TSKTIVYHLD EGVYGFNSV LFDNICPTPI LQKKPSTEQP LYSSSLWGPA VDGDCDVAEG LWLPQLHVGD WLVDNMGAY TVGMGSPFWG TQACHITYAM SRVAWEALRR QLMAAEQEDD VEGVCKPLSC GWEITDLCV GPVFTPASIM</p> <p>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p>

Product Details

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade:

custom-made

Target Details

Target:	ADC
Alternative Name:	AZIN2 (ADC Products)
Background:	<p>Antizyme inhibitor 2 (AZI2) (Arginine decarboxylase) (ADC) (ARGDC) (Ornithine decarboxylase-like protein) (ODC-like protein) (ornithine decarboxylase paralog) (ODC-p),FUNCTION: Antizyme inhibitor (AZI) protein that positively regulates ornithine decarboxylase (ODC) activity and polyamine uptake. AZI is an enzymatically inactive ODC homolog that counteracts the negative effect of ODC antizymes (AZs) OAZ1, OAZ2 and OAZ3 on ODC activity by competing with ODC for antizyme-binding (PubMed:17900240). Inhibits antizyme-dependent ODC degradation and releases ODC monomers from their inactive complex with antizymes, leading to formation of the catalytically active ODC homodimer and restoring polyamine production (PubMed:17900240). Participates in the morphological integrity of the trans-Golgi network (TGN) and functions as a regulator of intracellular secretory vesicle trafficking (PubMed:20188728). {ECO:0000269 PubMed:17900240, ECO:0000269 PubMed:20188728}.</p>
Molecular Weight:	50.0 kDa
UniProt:	Q96A70

Application Details

Application Notes:	<p>In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.</p>
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months